AUTHOR INDEX VOLUME 133

A

Adamson, E.D. *See* Huang, Wu, Fan, and Adamson.
Akada, R. *See* Matsui, Matsui, Akada, and Toh-e.
Alabouvette, J. *See* Aubert, Gout, Bligny, Marty-Mazars, Barrieu, Alabouvette, Marty, and Douce.
Al-Awar, O. *See* Field, Al-Awar, Rosenblatt, Wong, Alberts, and Mitchison.
Alberts, B. *See* Field, Al-Awar, Rosenblatt, Wong, Alberts, and Mitchison.
Albright, C.F. *See* Song, Mach, Chen, Reynolds, and Albright.
Allan, V.J. *See* Niclas, Allan, and Vale.
Allen, E., Yu, Q.-C., and Fuchs, E. Mice expressing a mutant desmosomal cadherin exhibit abnormalities in desmosomes, proliferation, and epidermal differentiation. 1367.
Almendro, N. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Amherdt, M. *See* Nagahama, Orci, Ravazzola, Amherdt, Lacomis, Tempst, Rothman, and Söllner.
Anderson, B.L. *See* Goodson, Anderson, Warrick, Pon, and Spudich.
Anderson, M. *See* Osheim, Mougey, Windle, Anderson, O'Reilly, Miller, Beyer, and Sollner-Webb.
Ando-Akatsuka, Y., Saitou, M., Hirase, T., Kishi, M., Sakakibara, A., Itoh, M., Yonemura, S., Furuse, M., and Tsukita, S. Interspecies diversity of the occludin sequence: cDNA cloning of human, mouse, dog, and rat–kangaroo homologues. 43.
André, C. *See* Roussel, André, Comai, and Hernandez-Verdun.
Aniento, F., Gu, F., Parton, R.G., and Gruenberg, J. An endosomal βCOP is involved in the pH-dependent formation of transport vesicles destined for late endosomes. 29.
Antonsson, B. *See* Di Paolo, Pellier, Catsicas, Antonsson, Catsicas, and Grenningloh.
Ardito, T. *See* Devarajan, Stabach, Mann, Ardito, Kashgarian, and Morrow.
Arenas, E. *See* Neveu and Arenas.
Arrigo, A.-P. *See* Kretz-Remy, Mehlen, Mirault, and Arrigo.
Arvan, P. *See* Kim, Kwon, and Arvan.
Assoian, R.K. *See* Zhu, Ohtsubo, Böhmer, Roberts, and Assoian.
Atsumi, T. *See* Shukunami, Shigeno, Atsumi, Ishizeki, Suzuki, and Hiraki.
Aubert, S., Gout, E., Bligny, R., Marty-Mazars, D., Barrieu, F., Alabouvette, J., Marty, F., and Douce, R. Ultrastructural and biochemical characterization of autophagy in higher plant cells subjected to carbon deprivation: Control by the supply of mitochondria with respiratory substrates. 1251.
Aunis, D. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.

B

Baas, P.W. *See* Yu, Schwei, and Baas.
Babinet, C. *See* Galou, Colucci-Guyon, Ensergueix, Ridet, Giminez y Ribotta, Privat, Babinet, and Dupouey.
Bader, M.-F. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.
Baldini, G. *See* Scherer, Lederkremer, Williams, Fogliano, Baldini, and Lodish.
Barondes, S.H. *See* Cleves, Cooper, Barondes, and Kelly.
Barrieu, F. *See* Aubert, Gout, Bligny, Marty-Mazars, Barrieu, Alabouvette, Marty, and Douce.
Bastiaens, P.I.H. *See* Majoul, Bastiaens, and Söling.
Bauer, K.D. *See* Schwall, Chang, Godowski, Kahn, Hillan, Bauer, and Zioncheck.
Baurén, G., Jiang, W.-Q., Bernholm, K., Gu, F., and Wieslander, L. Demonstration of a dynamic, transcription-dependent organization of pre-mRNA splicing factors in polytene nuclei. 929.
Becker, K. *See* French, Hahne, Viard, Radlgruber, Zanone, Becker, Müller, and Tschopp.
Beggah, A. *See* Geering, Beggah, Good, Girardet, Roy, Schaer, and Jaunin.
Bellon, P.L. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Benbow, R.M. *See* Fang and Benbow.
Bender, A. *See* Bender, Lo, Lee, Kokojan, Peterson, and Bender.
Bender, L., Lo, H.S., Lee, H., Kokojan, V., Peterson, J., and Bender, A. Associations among PH and SH3 domain–containing proteins and Rho-type GTPases in yeast. 879.
Ben-Ze'ev, A. *See* Simcha, Geiger, Yehuda-Levenberg, Salomon, and Ben-Ze'ev.
Bernabéu, C. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Bernard, A. *See* Deckert, Ticchioni, and Bernard.
Bernholm, K. *See* Baurén, Jiang, Bernholm, Gu, and Wieslander.
Berton, G. *See* Lowell, Fumagalli, and Berton.
Beyer, A. *See* Osheim, Mougey, Windle, Anderson, O'Reilly, Miller, Beyer, and Sollner-Webb.
Biggins, S., Ivanovska, I., and Rose, M.D. Yeast ubiquitin-like genes are involved in duplication of the microtubule organizing center. 1331.
Birchmeier, W. *See* Sachs, Weidner, Brinkmann, Walther, Obermeier, Ullrich, and Birchmeier.
Bligny, R. *See* Aubert, Gout, Bligny, Marty-Mazars, Barrieu, Alabouvette, Marty, and Douce.
Blobel, G. *See* Nehrbass, Rout, Maguire, Blobel, and Wozniak.
Böhmer, R.M. *See* Zhu, Ohtsubo, Böhmer, Roberts, and Assoian.
Boukamel, R. *See* De Arcangelis, Neuville, Boukamel, Lefebvre, Kedinger, and Simon-Assmann.
Brady, B. *See* Wein, Foss, Brady, and Cande.
Bretaudiere, J.-P. *See* Schroeter, Bretaudiere, Sass, and Goldstein.
Bright, N.A. *See* Simpson, Bright, West, Newman, Darnell, and Robinson.
Brinkmann, V. *See* Sachs, Weidner, Brinkmann, Walther, Obermeier, Ullrich, and Birchmeier.
Burger, K.N.J., van der Bijl, P., and van Meer, G. Topology of sphingolipid galactosyltransferases in ER and Golgi: Transbilayer movement of monohexosyl sphingolipids is required for higher glycosphingolipid biosynthesis. 15.
Burridge, K. *See* Chrzanowska-Wodnicka and Burridge.
Byers, B. *See* Sundberg, Goetsch, Byers, and Davis.

C

Cameron, M. *See* Knibbs, Craig, Natsuka, Chang, Cameron, Lowe, and Stoolman.
Cande, W.Z. *See* Wein, Foss, Brady, and Cande.
Cardone, M.H., Smith, B.L., Mennitt, P.A., Mochly-Rosen, D., Silver, R.B., and Mostov, K.E. Signal transduction by the polymeric immunoglobulin receptor suggests a role in regulation of receptor transcytosis. 997.
Carey, K.L., Richards, S.A., Lounsbury, K.M., and Macara, I.G. Evidence using a green fluorescent protein-glucocorticoid receptor chimera that the RAN/TC4 GTPase mediates an essential function independent of nuclear protein import. 985.
Carmo-Fonseca, M. *See* Jordan, Mannervik, Tora, and Carmo-Fonseca.
Cass, D. *See* Huang, Wu, Cass, Erle, Corry, Young, Farese, and Sheppard.

Catsicas, M. *See* Di Paolo, Pellier, Catsicas, Antonsson, Catsicas, and Grenningloh.
Catsicas, S. *See* Di Paolo, Pellier, Catsicas, Antonsson, Catsicas, and Grenningloh.
Chalfie, M. *See* Lai, Hong, Kinnell, Chalfie, and Driscoll.
Chang, A. *See* Knibbs, Craig, Natsuka, Chang, Cameron, Lowe, and Stoolman.
Chang, L.Y. *See* Schwall, Chang, Godowski, Kahn, Hillan, Bauer, and Zioncheck.
Chang, S. *See* DeBernardo and Chang.
Charness, M.E. *See* Ramanathan, Wilkemeyer, Mittal, Perides, and Charness.
Chasserot-Golaz, S., Vitale, N., Sagot, I., Delouche, B., Dirrig, S., Pradel, L.-A., Henry, J.-P., Aunis, D., and Bader, M.-F. Annexin II in exocytosis: Catecholamine secretion requires the translocation of p36 to the subplasmalemmal region in chromaffin cells. 1217.
Chavez, R.A., Miller, S.G., and Moore, H.-P.H. A biosynthetic regulated secretory pathway in constitutive secretory cells. 1177.
Chen, C.-Y. *See* Song, Mach, Chen, Reynolds, and Albright.
Chitaev, N.A., Leube, R.E., Troyanovsky, R.B., Eshkind, L.G., Franke, W.W., and Troyanovsky, S.M. The binding of plakoglobin to desmosomal cadherins: Patterns of binding sites and topogenic potential. 359.
Chrzanowska-Wodnicka, M., and Burridge, K. Rho-stimulated contractility drives the formation of stress fibers and focal adhesions. 1403.
Cleveland, D.W. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.
Cleves, A.E., Cooper, D.N.W., Barondes, S.H., and Kelly, R.B. A new pathway for protein export in *Saccharomyces cerevisiae*. 1017.
Coles, H.S.R. *See* Weil, Jacobson, Coles, Davies, Gardner, Raff, and Raff.
Colucci-Guyon, E. *See* Galou, Colucci-Guyon, Ensergueix, Ridet, Giminez y Ribotta, Privat, Babinet, and Dupouey.
Comai, L. *See* Roussel, André, Comai, and Hernandez-Verdun.
Cooper, A.A., and Stevens, T.H. Vps10p cycles between the late-Golgi and prevacuolar compartments in its function as the sorting receptor for multiple yeast vacuolar hydrolases. 529.
Cooper, D.N.W. *See* Cleves, Cooper, Barondes, and Kelly.
Cooper, J.A. *See* Hopmann, Cooper, and Miller.
Corbett, A.H. *See* Koepp, Wong, Corbett, and Silver.
Corry, D. *See* Huang, Wu, Cass, Erle, Corry, Young, Farese, and Sheppard.
Craig, R.A. *See* Knibbs, Craig, Natsuka, Chang, Cameron, Lowe, and Stoolman.
Crawford, T.O. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.

D

Dallai, R. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Daneholt, B. *See* Visa, Izaurralde, Ferreira, Daneholt, and Mattaj.
Danieli, T., Pelletier, S.L., Henis, Y.I., and White, J.M. Membrane fusion mediated by the influenza virus hemagglutinin requires the concerted action of at least three hemagglutinin trimers. 559.
Daniell, L. *See* Takei, Mundigl, Daniell, and De Camilli.
Darnell, R.B. *See* Simpson, Bright, West, Newman, Darnell, and Robinson.
David, G. *See* Steinfeld, Van Den Berghe, and David.
Davies, T.J. *See* Weil, Jacobson, Coles, Davies, Gardner, Raff, and Raff.
Davis, T.N. *See* Sundberg, Goetsch, Byers, and Davis.
De Arcangelis, A., Neuville, P., Boukamel, R., Lefebvre, O., Kedinger, M., and Simon-Assmann, P. Inhibition of laminin α1-chain expression leads to alteration of basement membrane assembly and cell differentiation. 417.
DeBernardo, A.P., and Chang, S. Heterophilic interactions of DM-GRASP: GRASP-NgCAM interactions involved in neurite extension. 657.
De Camilli, P. *See* Takei, Mundigl, Daniell, and De Camilli.
Deckert, M., Ticchioni, M., and Bernard, A. Endocytosis of GPI-anchored proteins in human lymphocytes: Role of glycolipid-based domains, actin cytoskeleton, and protein kinases. 791.
Delouche, B. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.
De Lozanne, A. *See* Larochelle, Vithalani, and De Lozanne.
DeMarais, A.A. *See* Torres, Yang-Snyder, Purcell, DeMarais, McGrew, and Moon.
Demaurex, N., Downey, G.P., Waddell, T.K., and Grinstein, S. Intracellular pH regulation during spreading of human neutrophils. 1391.
Denker, S.P., McCaffery, J.M., Palade, G.E., Insel, P.A., and Farquhar, M.G. Differential distribution of α subunits and βγ subunits of heterotrimeric G proteins on Golgi membranes of the exocrine pancreas. 1027.
Devarajan, P., Stabach, P.R., Mann, A.S., Ardito, T., Kashgarian, M., and Morrow, J.S. Identification of a small cytoplasmic ankyrin (Ank_{GI19}) in the kidney and muscle that binds βIΣ* spectrin and associates with the Golgi apparatus. 819.
Di Paolo, G., Pellier, V., Catsicas, M., Antonsson, B., Catsicas, S., and Grenningloh, G. The phosphoprotein stathmin is essential for nerve growth factor–stimulated differentiation. 1383.
Dingwall, C. *See* Palacios, Weis, Klebe, Mattaj, and Dingwall.
Dirrig, S. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.
Dissanayake, S. *See* Dubreuil, MacVicar, Dissanayake, Liu, Homer, and Hortsch.
Dogterom, M., Félix, M.-A., Guet, C.C., and Leibler, S. Influence of M-phase chromatin on the anisotropy of microtubule asters. 125.
Douce, R. *See* Aubert, Gout, Bligny, Marty-Mazars, Barrieu, Alabouvette, Marty, and Douce.
Downey, G.P. *See* Demaurex, Downey, Waddell, and Grinstein.
Doye, V. *See* Zabel, Doye, Tekotte, Wepf, Grandi, and Hurt.
Driscoll, M. *See* Lai, Hong, Kinnell, Chalfie, and Driscoll.
Dubreuil, R.R., MacVicar, G., Dissanayake, S., Liu, C., Homer, D., and Hortsch, M. Neuroglian-mediated cell adhesion induces assembly of the membrane skeleton at cell contact sites. 647.
Dupouey, P. *See* Galou, Colucci-Guyon, Ensergueix, Ridet, Giminez y Ribotta, Privat, Babinet, and Dupouey.
Dyer, J.M., McNew, J.A., and Goodman, J.M. The sorting sequence of the peroxisomal integral membrane protein PMP47 is contained within a short hydrophilic loop. 269.

E

Edidin, M. *See* Hannan and Edidin.
Engvall, E. *See* Vilquin, Kinoshita, Roy, Goulet, Engvall, Tomé, Fardeau, and Tremblay.
Ensergueix, D. *See* Galou, Colucci-Guyon, Ensergueix, Ridet, Giminez y Ribotta, Privat, Babinet, and Dupouey.
Erle, D.J. *See* Huang, Wu, Cass, Erle, Corry, Young, Farese, and Sheppard.
Eshkind, L.G. *See* Chitaev, Leube, Troyanovsky, Eshkind, Franke, and Troyanovsky.

F

Fabra, A. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Fan, Y. *See* Huang, Wu, Fan, and Adamson.
Fang, J., and Benbow, R.M. Nuclear proteins of quiescent *Xenopus laevis* cells inhibit DNA replication in intact and permeabilized nuclei. 955.
Fardeau, M. *See* Vilquin, Kinoshita, Roy, Goulet, Engvall, Tomé, Fardeau, and Tremblay.
Farese, R.V., Jr. *See* Huang, Wu, Cass, Erle, Corry, Young, Farese, and Sheppard.
Farquhar, M.G. *See* Denker, McCaffery, Palade, Insel, and Farquhar.
Fehon, R.G. *See* McCartney and Fehon.
Félix, M.-A. *See* Dogterom, Félix, Guet, and Leibler.
Ferreira, J. *See* Visa, Izaurralde, Ferreira, Daneholt, and Mattaj.

Field, C.M., Al-Awar, O., Rosenblatt, J., Wong, M.L., Alberts, B., and Mitchison, T.J. A purified *Drosophila* septin complex forms filaments and exhibits GTPase activity. 605.
Fogliano, M. *See* Scherer, Lederkremer, Williams, Fogliano, Baldini, and Lodish.
Folmer, J. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.
Foss, M. *See* Wein, Foss, Brady, and Cande.
Frank, J. *See* Verschoor, Srivastava, Grassucci, and Frank.
Franke, W.W. *See* Chitaev, Leube, Troyanovsky, Eshkind, Franke, and Troyanovsky.
French, L.E., Hahne, M., Viard, I., Radlgruber, G., Zanone, R., Becker, K., Müller, C., and Tschopp, J. Fas and Fas ligand in embryos and adult mice: Ligand expression in several immune-privileged tissues and coexpression in adult tissues characterized by apoptotic cell turnover. 335.
Fuchs, E. *See* Allen, Yu, and Fuchs.
Fumagalli, L. *See* Lowell, Fumagalli, and Berton.
Funakoshi, T., Takeda, S., and Hirokawa, N. Active transport of photoactivated tubulin molecules in growing axons revealed by a new electron microscopic analysis. 1347.
Furuse, M. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.

G

Galou, M., Colucci-Guyon, E., Ensergueix, D., Ridet, J.-L., Giminez y Ribotta, M., Privat, A., Babinet, C., and Dupouey, P. Disrupted glial fibrillary acidic protein network in astrocytes from vimentin knockout mice. 853.
Gardner, R.L. *See* Weil, Jacobson, Coles, Davies, Gardner, Raff, and Raff.
Geering, K., Beggah, A., Good, P., Girardet, S., Roy, S., Schaer, D., and Jaunin, P. Oligomerization and maturation of Na,K-ATPase: Functional interaction of the cytoplasmic NH_2 terminus of the β subunit with the α subunit. 1193.
Geiger, B. *See* Simcha, Geiger, Yehuda-Levenberg, Salomon, and Ben-Ze'ev.
Gerace, L. *See* Sweet and Gerace.
Gimbrone, M.A., Jr. *See* Yoshida, Westlin, Wang, Ingber, Rosenzweig, Resnick, and Gimbrone.
Giminez y Ribotta, M. *See* Galou, Colucci-Guyon, Ensergueix, Ridet, Giminez y Ribotta, Privat, Babinet, and Dupouey.
Girardet, S. *See* Geering, Beggah, Good, Girardet, Roy, Schaer, and Jaunin.
Glabe, C.G. *See* Moy, Mendoza, Schulz, Swanson, Glabe, and Vacquier.
Godowski, P.J. *See* Schwall, Chang, Godowski, Kahn, Hillan, Bauer, and Zioncheck.
Goetsch, L. *See* Sundberg, Goetsch, Byers, and Davis.
Goldstein, M.A. *See* Schroeter, Bretaudiere, Sass, and Goldstein.
Good, P. *See* Geering, Beggah, Good, Girardet, Roy, Schaer, and Jaunin.
Goodman, J.M. *See* Dyer, McNew, and Goodman.
Goodson, H.V., Anderson, B.L., Warrick, H.M., Pon, L.A., and Spudich, J.A. Synthetic lethality screen identifies a novel yeast myosin I gene (*MYO5*): Myosin I proteins are required for polarization of the actin cytoskeleton. 1277.
Goulet, M. *See* Vilquin, Kinoshita, Roy, Goulet, Engvall, Tomé, Fardeau, and Tremblay.
Gout, E. *See* Aubert, Gout, Bligny, Marty-Mazars, Barrieu, Alabouvette, Marty, and Douce.
Grandi, P. *See* Zabel, Doye, Tekotte, Wepf, Grandi, and Hurt.
Grassucci, R. *See* Verschoor, Srivastava, Grassucci, and Frank.
Grenningloh, G. *See* Di Paolo, Pellier, Catsicas, Antonsson, Catsicas, and Grenningloh.
Griffin, J.W. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.
Grinstein, S. *See* Demaurex, Downey, Waddell, and Grinstein.
Grissom, P.M. *See* Vaisberg, Grissom, and McIntosh.
Gruenberg, J. *See* Aniento, Gu, Parton, and Gruenberg.
Gu, F. *See* Aniento, Gu, Parton, and Gruenberg.
— — *See* Baurén, Jiang, Bernholm, Gu, and Wieslander.
Guacci, V. *See* Yamamoto, Guacci, and Koshland.
Guet, C.C. *See* Dogterom, Félix, Guet, and Leibler.
Guild, G.M. *See* Tilney, Tilney, and Guild.

H

Hahne, M. *See* French, Hahne, Viard, Radlgruber, Zanone, Becker, Müller, and Tschopp.
Hammer, J.A., III *See* Jung, Wu, and Hammer.
Hannan, L.A., and Edidin, M. Traffic, polarity, and detergent solubility of a glycosylphosphatidylinositol-anchored protein after LDL-deprivation of MDCK cells. 1265.
Hayashi, Y. *See* Kanai, Kanai-Azuma, Noce, Saido, Shiroishi, Hayashi, and Yazaki.
Henderson, S. *See* Piperno, Mead, and Henderson.
Henis, Y.I. *See* Danieli, Pelletier, Henis, and White.
Henley, J.R., and McNiven, M.A. Association of a dynamin-like protein with the Golgi apparatus in mammalian cells. 761.
Henry, J.-P. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.
Hernandez-Verdun, D. *See* Roussel, André, Comai, and Hernandez-Verdun.
Heuser, J.E. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Hillan, K.J. *See* Schwall, Chang, Godowski, Kahn, Hillan; Bauer, and Zioncheck.
Hiraki, Y. *See* Shukunami, Shigeno, Atsumi, Ishizeki, Suzuki, and Hiraki.
Hirase, T. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.
Hirayoshi, K. *See* Satoh, Hirayoshi, Yokota, Hosokawa, and Nagata.
Hirokawa, N. *See* Funakoshi, Takeda, and Hirokawa.
Hocking, D.C., Smith, R.K., and McKeown-Longo, P.J. A novel role for the integrin-binding III-10 module in fibronectin matrix assembly. 431.
Homer, D. *See* Dubreuil, MacVicar, Dissanayake, Liu, Homer, and Hortsch.
Hong, K. *See* Lai, Hong, Kinnell, Chalfie, and Driscoll.
Hopmann, R., Cooper, J.A., and Miller, K.G. Actin organization, bristle morphology, and viability are affected by actin-capping protein mutations in *Drosophila*. 1293.
Hortsch, M. *See* Dubreuil, MacVicar, Dissanayake, Liu, Homer, and Hortsch.
Horwitz, A.F. *See* Sastry, Lakonishok, Thomas, Muschler, and Horwitz.
Hosokawa, N. *See* Satoh, Hirayoshi, Yokota, Hosokawa, and Nagata.
Hsieh, S.-T. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.
Huang, R.-P., Wu, J.-X., Fan, Y., and Adamson, E.D. UV activates growth factor receptors via reactive oxygen intermediates. 211.
Huang, S., and Spector, D.L. Intron-dependent recruitment of pre-mRNA splicing factors to sites of transcription. 719.
Huang, X.-Z., Wu, J.F., Cass, D., Erle, D.J., Corry, D., Young, S.G., Farese, R.V., Jr., and Sheppard, D. Inactivation of the integrin $\beta 6$ subunit gene reveals a role of epithelial integrins in regulating inflammation in the lungs and skin. 921.
Hurt, E.C. *See* Zabel, Doye, Tekotte, Wepf, Grandi, and Hurt.

I

Imajoh-Ohmi, S. *See* Takai, Ogawara, Tomono, Moritoh, Imajoh-Ohmi, Tsutsumi, Taketani, and Inagaki.
Inagaki, M. *See* Takai, Ogawara, Tomono, Moritoh, Imajoh-Ohmi, Tsutsumi, Taketani, and Inagaki.
Ingber, D.E. *See* Yoshida, Westlin, Wang, Ingber, Rosenzweig, Resnick, and Gimbrone.
Insel, P.A. *See* Denker, McCaffery, Palade, Insel, and Farquhar.
Ishizeki, K. *See* Shukunami, Shigeno, Atsumi, Ishizeki, Suzuki, and Hiraki.
Itoh, M. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.

Ivanovska, I. *See* Biggins, Ivanovska, and Rose.
Izaurralde, E. *See* Visa, Izaurralde, Ferreira, Daneholt, and Mattaj.

J

Jacobson, M.D., Weil, M., and Raff, M.C. Role of Ced-3/ICE-family proteases in staurosporine-induced programmed cell death. 1041.
— *See* Weil, Jacobson, Coles, Davies, Gardner, Raff, and Raff.
James, P.L., Stewart, C.E.H., and Rotwein, P. Insulin-like growth factor binding protein-5 modulates muscle differentiation through an insulin-like growth factor–dependent mechanism. 683.
Jaunin, P. *See* Geering, Beggah, Good, Girardet, Roy, Schaer, and Jaunin.
Jiang, W.-Q. *See* Baurén, Jiang, Bernholm, Gu, and Wieslander.
Jordan, P., Mannervik, M., Tora, L., and Carmo-Fonseca, M. In vivo evidence that TATA-binding protein/SL1 colocalizes with UBF and RNA polymerase I when rRNA synthesis is either active or inactive. 225.
Joshi, H.C. *See* Miller and Joshi.
Jung, G., Wu, X., and Hammer, J.A., III Dictyostelium mutants lacking multiple classic myosin I isoforms reveal combinations of shared and distinct functions. 305.

K

Kahn, D.W. *See* Schwall, Chang, Godowski, Kahn, Hillan, Bauer, and Zioncheck.
Kanai, Y., Kanai-Azuma, M., Noce, T., Saido, T.C., Shiroishi, T., Hayashi, Y., and Yazaki, K. Identification of two Sox17 messenger RNA isoforms, with and without the high mobility group box region, and their differential expression in mouse spermatogenesis. 667.
Kanai-Azuma, M. *See* Kanai, Kanai-Azuma, Noce, Saido, Shiroishi, Hayashi, and Yazaki.
Kashgarian, M. *See* Devarajan, Stabach, Mann, Ardito, Kashgarian, and Morrow.
Kedinger, M. *See* De Arcangelis, Neuville, Boukamel, Lefebvre, Kedinger, and Simon-Assmann.
Keller, P. *See* Yoshimori, Keller, Roth, and Simons.
Kelly, R.B. *See* Cleves, Cooper, Barondes, and Kelly.
Kim, P.S., Kwon, O-Y., and Arvan, P. An endoplasmic reticulum storage disease causing congenital goiter with hypothyroidism. 517.
Kinnell, M. *See* Lai, Hong, Kinnell, Chalfie, and Driscoll.
Kinoshita, I. *See* Vilquin, Kinoshita, Roy, Goulet, Engvall, Tomé, Fardeau, and Tremblay.
Kishi, M. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.
Kitsis, R.N. *See* Liu and Kitsis.
Klebe, C. *See* Palacios, Weis, Klebe, Mattaj, and Dingwall.
Knibbs, R.N., Craig, R.A., Natsuka, S., Chang, A., Cameron, M., Lowe, J.B., and Stoolman, L.M. The fucosyltransferase FucT-VII regulates E-selectin ligand synthesis in human T-cells. 911.
Koepp, D.M., Wong, D.H., Corbett, A.H., and Silver, P.A. Dynamic localization of the nuclear import receptor and its interactions with transport factors. 1163.
Kokojan, V. *See* Bender, Lo, Lee, Kokojan, Peterson, and Bender.
Koshland, D. *See* Yamamoto, Guacci, and Koshland.
Krämer, H., and Phistry, M. Mutations in the *Drosophila hook* gene inhibit endocytosis of the boss transmembrane ligand into multivesicular bodies. 1205.
Kretz-Remy, C., Mehlen, P., Mirault, M.-E., and Arrigo, A.-P. Inhibition of IκB-α phosphorylation and degradation and subsequent NF-κB activation by glutathione peroxidase overexpression. 1083.
Kwon, O-Y. *See* Kim, Kwon, and Arvan.

L

Lacomis, L. *See* Nagahama, Orci, Ravazzola, Amherdt, Lacomis, Tempst, Rothman, and Söllner.
Lai, C.-C., Hong, K., Kinnell, M., Chalfie, M., and Driscoll, M. Sequence and transmembrane topology of MEC-4, and ion channel subunit required for mechanotransduction in *Caenorhabditis elegans*. 1071.
Lakonishok, M. *See* Sastry, Lakonishok, Thomas, Muschler, and Horwitz.
Lamb, R.A. *See* Sakaguchi, Leser, and Lamb.
Langa, C. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Lanzavecchia, S. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Larochelle, D.A., Vithalani, K., and De Lozanne, A. A novel member of the *rho* family of small GTP-binding proteins is specifically required for cytokinesis. 1321.
Lastres, P., Letamendía, A., Zhang, H., Rius, C., Almendro, N., Raab, U., López, L.A., Langa, C., Fabra, A., Letarte, M., and Bernabéu, C. Endoglin modulates cellular responses to TGF-β1. 1109.
Lederkremer, G.Z. *See* Scherer, Lederkremer, Williams, Fogliano, Baldini, and Lodish.
Lee, H. *See* Bender, Lo, Lee, Kokojan, Peterson, and Bender.
Lee, M.K. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.
Lefebvre, O. *See* De Arcangelis, Neuville, Boukamel, Lefebvre, Kedinger, and Simon-Assmann.
Leibler, S. *See* Dogterom, Félix, Guet, and Leibler.
Leser, G.P. *See* Sakaguchi, Leser, and Lamb.
Letamendía, A. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Letarte, M. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Leube, R.E. *See* Chitaev, Leube, Troyanovsky, Eshkind, Franke, and Troyanovsky.
Liao, J., and Omary, M.B. 14-3-3 proteins associate with phosphorylated simple epithelial keratins during cell cycle progression and act as a solubility cofactor. 345.
Linder, M.E. *See* Timson Gauen, Linder, and Shaw.
Liu, C. *See* Dubreuil, MacVicar, Dissanayake, Liu, Homer, and Hortsch.
Liu, Y., and Kitsis, R.N. Induction of DNA synthesis and apoptosis in cardiac myocytes by E1A oncoprotein. 325.
Lo, H.S. *See* Bender, Lo, Lee, Kokojan, Peterson, and Bender.
Lodish, H.F. *See* Scherer, Lederkremer, Williams, Fogliano, Baldini, and Lodish.
Long, E.O. *See* Warmerdam, Long, and Roche.
López, L.A. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Lounsbury, K.M. *See* Carey, Richards, Lounsbury, and Macara.
Lowe, J.B. *See* Knibbs, Craig, Natsuka, Chang, Cameron, Lowe, and Stoolman.
Lowell, C.A., Fumagalli, L., and Berton, G. Deficiency of Src family kinases p59/61^{hck} and p58$^{c\text{-}fgr}$ results in defective adhesion-dependent neutrophil functions. 895.
Lupetti, P., Heuser, J.E., Manetti, R., Massari, P., Lanzavecchia, S., Bellon, P.L., Dallai, R., Rappuoli, R., and Telford, J.L. Oligomeric and subunit structure of the *Helicobacter pylori* vacuolating cytotoxin. 801.

M

Macara, I.G. *See* Carey, Richards, Lounsbury, and Macara.
Mach, K.E. *See* Song, Mach, Chen, Reynolds, and Albright.
MacVicar, G. *See* Dubreuil, MacVicar, Dissanayake, Liu, Homer, and Hortsch.
Maguire, S. *See* Nehrbass, Rout, Maguire, Blobel, and Wozniak.
Majoul, I.V., Bastiaens, P.I.H., and Söling, H.-D. Transport of an external Lys-Asp-Glu-Leu (KDEL) protein from the plasma membrane to the endoplasmic reticulum: Studies with cholera toxin in vero cells. 777.
Manetti, R. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Mann, A.S. *See* Devarajan, Stabach, Mann, Ardito, Kashgarian, and Morrow.
Mannervik, M. *See* Jordan, Mannervik, Tora, and Carmo-Fonseca.

Marszalek, J.R. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.
Marty, F. *See* Aubert, Gout, Bligny, Marty-Mazars, Barrieu, Alabouvette, Marty, and Douce.
Marty-Mazars, D. *See* Aubert, Gout, Bligny, Marty-Mazars, Barrieu, Alabouvette, Marty, and Douce.
Massari, P. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Matlin, K.S. *See* Zinkl, Zuk, van der Bijl, van Meer, and Matlin.
Matsui, R. *See* Matsui, Matsui, Akada, and Toh-e.
Matsui, Y., Matsui, R., Akada, R., and Toh-e, A. Yeast *src* homology region 3 domain-binding proteins involved in bud formation. 865.
Mattaj, I.W. *See* Palacios, Weis, Klebe, Mattaj, and Dingwall.
— *See* Visa, Izaurralde, Ferreira, Daneholt, and Mattaj.
McCaffery, J.M. *See* Denker, McCaffery, Palade, Insel, and Farquhar.
McCartney, B.M., and Fehon, R.G. Distinct cellular and subcellular patterns of expression imply distinct functions for the *Drosophila* homologues of moesin and the neurofibromatosis 2 tumor suppressor, merlin. 843.
McGrew, L.L. *See* Torres, Yang-Snyder, Purcell, DeMarais, McGrew, and Moon.
McIntosh, J.R. *See* Vaisberg, Grissom, and McIntosh.
McKeown-Longo, P.J. *See* Hocking, Smith, and McKeown-Longo.
McNew, J.A. *See* Dyer, McNew, and Goodman.
McNiven, M.A. *See* Henley and McNiven.
Mead, K. *See* Piperno, Mead, and Henderson.
Mehlen, P. *See* Kretz-Remy, Mehlen, Mirault, and Arrigo.
Mendoza, L.M. *See* Moy, Mendoza, Schulz, Swanson, Glabe, and Vacquier.
Mennitt, P.A. *See* Cardone, Smith, Mennitt, Mochly-Rosen, Silver, and Mostov.
Miller, K.E., and Joshi, H.C. Tubulin transport in neurons. 1355.
Miller, K.G. *See* Hopmann, Cooper, and Miller.
Miller, O.L., Jr. *See* Osheim, Mougey, Windle, Anderson, O'Reilly, Miller, Beyer, and Sollner-Webb.
Miller, S.G. *See* Chavez, Miller, and Moore.
Mirault, M.-E. *See* Kretz-Remy, Mehlen, Mirault, and Arrigo.
Mitchison, T.J. *See* Field, Al-Awar, Rosenblatt, Wong, Alberts, and Mitchison.
Mittal, B. *See* Ramanathan, Wilkemeyer, Mittal, Perides, and Charness.
Mochly-Rosen, D. *See* Cardone, Smith, Mennitt, Mochly-Rosen, Silver, and Mostov.
Montell, D.J. *See* Murphy and Montell.
Moon, R.T. *See* Torres, Yang-Snyder, Purcell, DeMarais, McGrew, and Moon.
Moore, H.-P.H. *See* Chavez, Miller, and Moore.
Moritoh, C. *See* Takai, Ogawara, Tomono, Moritoh, Imajoh-Ohmi, Tsutsumi, Taketani, and Inagaki.
Morrow, J.S. *See* Devarajan, Stabach, Mann, Ardito, Kashgarian, and Morrow.
Mostov, K.E. *See* Cardone, Smith, Mennitt, Mochly-Rosen, Silver, and Mostov.
Mougey, E.B. *See* Osheim, Mougey, Windle, Anderson, O'Reilly, Miller, Beyer, and Sollner-Webb.
Moy, G.W., Mendoza, L.M., Schulz, J.R., Swanson, W.J., Glabe, C.G., and Vacquier, V.D. The sea urchin sperm receptor for egg jelly is a modular protein with extensive homology to the human polycystic kidney disease protein, PKD1. 809.
Müller, C. *See* French, Hahne, Viard, Radlgruber, Zanone, Becker, Müller, and Tschopp.
Mundigl, O. *See* Takei, Mundigl, Daniell, and De Camilli.
Murphy, A.M., and Montell, D.J. Cell type–specific roles for Cdc42, Rac, and RhoL in *Drosophila* oogenesis. 617.
Murray, A.W. *See* Wells and Murray.
Müsch, A., Xu, H., Shields, D., and Rodriguez-Boulan, E. Transport of vesicular stomatitis virus G protein to the cell surface is signal mediated in polarized and nonpolarized cells. 543.
Muschler, J. *See* Sastry, Lakonishok, Thomas, Muschler, and Horwitz.

N

Nagahama, M., Orci, L., Ravazzola, M., Amherdt, M., Lacomis, L., Tempst, P., Rothman, J.E., and Söllner, T.H. A v-SNARE implicated in intra-Golgi transport. 507.
Nagata, K. *See* Satoh, Hirayoshi, Yokota, Hosokawa, and Nagata.
Natsuka, S. *See* Knibbs, Craig, Natsuka, Chang, Cameron, Lowe, and Stoolman.
Nehrbass, U., Rout, M.P., Maguire, S., Blobel, G., and Wozniak, R.W. The yeast nucleoporin Nup188p interacts genetically and physically with the core structures of the nuclear pore complex. 1153.
Neuville, P. *See* De Arcangelis, Neuville, Boukamel, Lefebvre, Kedinger, and Simon-Assmann.
Neveu, I., and Arenas, E. Neurotrophins promote the survival and development of neurons in the cerebellum of hypothyroid rats in vivo. 631.
Newman, L.S. *See* Simpson, Bright, West, Newman, Darnell, and Robinson.
Niclas, J., Allan, V.J., and Vale, R.D. Cell cycle regulation of dynein association with membranes modulates microtubule-based organelle transport. 585.
Noce, T. *See* Kanai, Kanai-Azuma, Noce, Saido, Shiroishi, Hayashi, and Yazaki.

O

Obermeier, A. *See* Sachs, Weidner, Brinkmann, Walther, Obermeier, Ullrich, and Birchmeier.
Ogawara, M. *See* Takai, Ogawara, Tomono, Moritoh, Imajoh-Ohmi, Tsutsumi, Taketani, and Inagaki.
Ohtsubo, M. *See* Zhu, Ohtsubo, Böhmer, Roberts, and Assoian.
Omary, M.B. *See* Liao and Omary.
Orci, L. *See* Nagahama, Orci, Ravazzola, Amherdt, Lacomis, Tempst, Rothman, and Söllner.
O'Reilly, M. *See* Osheim, Mougey, Windle, Anderson, O'Reilly, Miller, Beyer, and Sollner-Webb.
Osheim, Y.N., Mougey, E.B., Windle, J., Anderson, M., O'Reilly, M., Miller, O.L., Jr., Beyer, A., and Sollner-Webb, B. Metazoan rDNA enhancer acts by making more genes transcriptionally active. 943.
Ostap, E.M., and Pollard, T.D. Overlapping functions of myosin-I isoforms? 221.

P

Palacios, I., Weis, K., Klebe, C., Mattaj, I.W., and Dingwall, C. RAN/TC4 mutants identify a common requirement for snRNP and protein import into the nucleus. 485.
Palade, G.E. *See* Denker, McCaffery, Palade, Insel, and Farquhar.
Parton, R.G. *See* Aniento, Gu, Parton, and Gruenberg.
Pelletier, S.L. *See* Danieli, Pelletier, Henis, and White.
Pellier, V. *See* Di Paolo, Pellier, Catsicas, Antonsson, Catsicas, and Grenningloh.
Perides, G. *See* Ramanathan, Wilkemeyer, Mittal, Perides, and Charness.
Peterson, J. *See* Bender, Lo, Lee, Kokojan, Peterson, and Bender.
Phistry, M. *See* Krämer and Phistry.
Piperno, G., Mead, K., and Henderson, S. Inner dynein arms but not outer dynein arms require the activity of kinesin homologue protein KHP1^{FLA10} to reach the distal part of flagella in *Chlamydomonas*. 371.
Pollard, T.D. *See* Ostap and Pollard.
Pon, L.A. *See* Goodson, Anderson, Warrick, Pon, and Spudich.
Pradel, L.-A. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.
Privat, A. *See* Galou, Colucci-Guyon, Ensergueix, Ridet, Giminez y Ribotta, Privat, Babinet, and Dupouey.
Purcell, S.M. *See* Torres, Yang-Snyder, Purcell, DeMarais, McGrew, and Moon.
Purich, D.L. *See* Zeile, Purich, and Southwick.

R

Raab, U. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Radlgruber, G. *See* French, Hahne, Viard, Radlgruber, Zanone, Becker, Müller, and Tschopp.

Raff, K.D. *See* Weil, Jacobson, Coles, Davies, Gardner, Raff, and Raff.
Raff, M.C. *See* Jacobson, Weil, and Raff.
— *See* Weil, Jacobson, Coles, Davies, Gardner, Raff, and Raff.
Ramanathan, R., Wilkemeyer, M.F., Mittal, B., Perides, G., and Charness, M.E. Alcohol inhibits cell–cell adhesion mediated by human L1. 381. Correction. 1139.
Rao, L.V.M. *See* Sevinsky, Rao, and Ruf.
Rappuoli, R. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Ravazzola, M. *See* Nagahama, Orci, Ravazzola, Amherdt, Lacomis, Tempst, Rothman, and Söllner.
Reichert, F. *See* Saada, Reichert, and Rotshenker.
Resnick, N. *See* Yoshida, Westlin, Wang, Ingber, Rosenzweig, Resnick, and Gimbrone.
Reynolds, T. *See* Song, Mach, Chen, Reynolds, and Albright.
Richards, S.A. *See* Carey, Richards, Lounsbury, and Macara.
Ridet, J.-L. *See* Galou, Colucci-Guyon, Ensergueix, Ridet, Giminez y Ribotta, Privat, Babinet, and Dupouey.
Rius, C. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.
Roberts, J.M. *See* Zhu, Ohtsubo, Böhmer, Roberts, and Assoian.
Robinson, M.S. *See* Simpson, Bright, West, Newman, Darnell, and Robinson.
Roche, P.A. *See* Warmerdam, Long, and Roche.
Rodriguez-Boulan, E. *See* Müsch, Xu, Shields, and Rodriguez-Boulan.
Rose, M.D. *See* Biggins, Ivanovska, and Rose.
Rosenblatt, J. *See* Field, Al-Awar, Rosenblatt, Wong, Alberts, and Mitchison.
Rosenzweig, A. *See* Yoshida, Westlin, Wang, Ingber, Rosenzweig, Resnick, and Gimbrone.
Roth, M.G. *See* Yoshimori, Keller, Roth, and Simons.
Rothman, J.E. *See* Nagahama, Orci, Ravazzola, Amherdt, Lacomis, Tempst, Rothman, and Söllner.
Rotshenker, S. *See* Saada, Reichert, and Rotshenker.
Rotwein, P. *See* James, Stewart, and Rotwein.
Roussel, P., André, C., Comai, L., and Hernandez-Verdun, D. The rDNA transcription machinery is assembled during mitosis in active NORs and absent in inactive NORs. 235.
Rout, M.P. *See* Nehrbass, Rout, Maguire, Blobel, and Wozniak.
Roy, B. *See* Vilquin, Kinoshita, Roy, Goulet, Engvall, Tomé, Fardeau, and Tremblay.
Roy, S. *See* Geering, Beggah, Good, Girardet, Roy, Schaer, and Jaunin.
Ruf, W. *See* Sevinsky, Rao, and Ruf.

S

Saada, A., Reichert, F., and Rotshenker, S. Granulocyte macrophage colony stimulating factor produced in lesioned peripheral nerves induces the up-regulation of cell surface expression of MAC-2 by macrophages and Schwann cells. 159.
Sachs, M., Weidner, K.M., Brinkmann, V., Walther, I., Obermeier, A., Ullrich, A., and Birchmeier, W. Motogenic and morphogenic activity of epithelial receptor tyrosine kinases. 1095.
Sagot, I. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.
Saido, T.C. *See* Kanai, Kanai-Azuma, Noce, Saido, Shiroishi, Hayashi, and Yazaki.
Saitou, M. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.
Sakaguchi, T., Leser, G.P., and Lamb, R.A. The ion channel activity of the influenza virus M_2 protein affects transport through the Golgi apparatus. 733.
Sakakibara, A. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.
Salomon, D. *See* Simcha, Geiger, Yehuda-Levenberg, Salomon, and Ben-Ze'ev.
Sass, R.L. *See* Schroeter, Bretaudiere, Sass, and Goldstein.
Sastry, S.K., Lakonishok, M., Thomas, D.A., Muschler, J., and Horwitz, A.F. Integrin α subunit ratios, cytoplasmic domains, and growth factor synergy regulate muscle proliferation and differentiation. 169.
Satoh, M., Hirayoshi, K., Yokota, S., Hosokawa, N., and Nagata, K. Intracellular interaction of collagen-specific stress protein HSP47 with newly synthesized procollagen. 469.
Schaer, D. *See* Geering, Beggah, Good, Girardet, Roy, Schaer, and Jaunin.
Scherer, P.E., Lederkremer, G.Z., Williams, S., Fogliano, M., Baldini, G., and Lodish, H.F. Cab45, a novel Ca^{2+}-binding protein localized to the Golgi lumen. 257.
Scholey, J.M. Kinesin-II, a membrane traffic motor in axons, axonemes, and spindles. 1.
Schroeter, J.P., Bretaudiere, J.-P., Sass, R.L., and Goldstein, M.A. Three-dimensional structure of the Z band in a normal mammalian skeletal muscle. 571.
Schulz, J.R. *See* Moy, Mendoza, Schulz, Swanson, Glabe, and Vacquier.
Schwall, R.H., Chang, L.Y., Godowski, P.J., Kahn, D.W., Hillan, K.J., Bauer, K.D., and Zioncheck, T.F. Heparin induces dimerization and confers proliferative activity onto the hepatocyte growth factor antagonists NK1 and NK2. 709.
Schwei, M.J. *See* Yu, Schwei, and Baas.
Sevinsky, J.R., Rao, L.V.M., and Ruf, W. Ligand-induced protease receptor translocation into caveolae: A mechanism for regulating cell surface proteolysis of the tissue factor–dependent coagulation pathway. 293.
Shaw, A.S. *See* Timson Gauen, Linder, and Shaw.
Sheppard, D. *See* Huang, Wu, Cass, Erle, Corry, Young, Farese, and Sheppard.
Shields, D. *See* Müsch, Xu, Shields, and Rodriguez-Boulan.
Shigeno, C. *See* Shukunami, Shigeno, Atsumi, Ishizeki, Suzuki, and Hiraki.
Shiroishi, T. *See* Kanai, Kanai-Azuma, Noce, Saido, Shiroishi, Hayashi, and Yazaki.
Shukunami, C., Shigeno, C., Atsumi, T., Ishizeki, K., Suzuki, F., and Hiraki, Y. Chondrogenic differentiation of clonal mouse embryonic cell line ATDC5 in vitro: Differentiation-dependent gene expression of parathyroid hormone (PTH)/PTH-related peptide receptor. 457.
Silver, P.A. *See* Koepp, Wong, Corbett, and Silver.
Silver, R.B. *See* Cardone, Smith, Mennitt, Mochly-Rosen, Silver, and Mostov.
Simcha, I., Geiger, B., Yehuda-Levenberg, S., Salomon, D., and Ben-Ze'ev, A. Suppression of tumorigenicity by plakoglobin: An augmenting effect of N-cadherin. 199.
Simon-Assmann, P. *See* De Arcangelis, Neuville, Boukamel, Lefebvre, Kedinger, and Simon-Assmann.
Simons, K. *See* Yoshimori, Keller, Roth, and Simons.
Simpson, F., Bright, N.A., West, M.A., Newman, L.S., Darnell, R.B., and Robinson, M.S. A novel adaptor-related protein complex. 749.
Smith, B.L. *See* Cardone, Smith, Mennitt, Mochly-Rosen, Silver, and Mostov.
Smith, R.K. *See* Hocking, Smith, and McKeown-Longo.
Söling, H.-D. *See* Majoul, Bastiaens, and Söling.
Söllner, T.H. *See* Nagahama, Orci, Ravazzola, Amherdt, Lacomis, Tempst, Rothman, and Söllner.
Sollner-Webb, B. *See* Osheim, Mougey, Windle, Anderson, O'Reilly, Miller, Beyer, and Sollner-Webb.
Song, K., Mach, K.E., Chen, C.-Y., Reynolds, T., and Albright, C.F. A novel suppressor of *ras1* in fission yeast, byr4, is a dosage-dependent inhibitor of cytokinesis. 1307.
Southwick, F.S. *See* Zeile, Purich, and Southwick.
Spector, D.L. *See* Huang and Spector.
Spudich, J.A. *See* Goodson, Anderson, Warrick, Pon, and Spudich.
Srivastava, S. *See* Verschoor, Srivastava, Grassucci, and Frank.
Stabach, P.R. *See* Devarajan, Stabach, Mann, Ardito, Kashgarian, and Morrow.
Steinfeld, R., Van Den Berghe, H., and David, G. Stimulation of fibroblast growth factor receptor-1 occupancy and signaling by cell surface–associated syndecans and glypican. 405.
Stevens, T.H. *See* Cooper and Stevens.
Stewart, C.E.H. *See* James, Stewart, and Rotwein.
Stoolman, L.M. *See* Knibbs, Craig, Natsuka, Chang, Cameron, Lowe, and Stoolman.
Sundberg, H.A., Goetsch, L., Byers, B., and Davis, T.N. Role of calmodulin and Spc110p interaction in the proper assembly of spindle pole body components. 111.
Suzuki, F. *See* Shukunami, Shigeno, Atsumi, Ishizeki, Suzuki, and Hiraki.
Swanson, W.J. *See* Moy, Mendoza, Schulz, Swanson, Glabe, and Vacquier.

Sweet, D.J., and Gerace, L. A GTPase distinct from ran is involved in nuclear protein import. 971.

T

Takai, Y., Ogawara, M., Tomono, Y., Moritoh, C., Imajoh-Ohmi, S., Tsutsumi, O., Taketani, Y., and Inagaki, M. Mitosis-specific phosphorylation of vimentin by protein kinase C coupled with reorganization of intracellular membranes. 141.
Takeda, S. *See* Funakoshi, Takeda, and Hirokawa.
Takei, K., Mundigl, O., Daniell, L., and De Camilli, P. The synaptic vesicle cycle: A single vesicle budding step involving clathrin and dynamin. 1237.
Taketani, Y. *See* Takai, Ogawara, Tomono, Moritoh, Imajoh-Ohmi, Tsutsumi, Taketani, and Inagaki.
Tekotte, H. *See* Zabel, Doye, Tekotte, Wepf, Grandi, and Hurt.
Telford, J.L. *See* Lupetti, Heuser, Manetti, Massari, Lanzavecchia, Bellon, Dallai, Rappuoli, and Telford.
Tempst, P. *See* Nagahama, Orci, Ravazzola, Amherdt, Lacomis, Tempst, Rothman, and Söllner.
Thomas, D.A. *See* Sastry, Lakonishok, Thomas, Muschler, and Horwitz.
Ticchioni, M. *See* Deckert, Ticchioni, and Bernard.
Tilney, L.G., Tilney, M.S., and Guild, G.M. Formation of actin filament bundles in the ring canals of developing *Drosophila* follicles. 61.
Tilney, M.S. *See* Tilney, Tilney, and Guild.
Timson Gauen, L.K., Linder, M.E., and Shaw, A.S. Multiple features of the $p59^{fyn}$ src homology 4 domain define a motif for immune-receptor tyrosine-based activation motif (ITAM) binding and for plasma membrane localization. 1007.
Toh-e, A. *See* Matsui, Matsui, Akada, and Toh-e.
Tomé, F. *See* Vilquin, Kinoshita, Roy, Goulet, Engvall, Tomé, Fardeau, and Tremblay.
Tomono, Y. *See* Takai, Ogawara, Tomono, Moritoh, Imajoh-Ohmi, Tsutsumi, Taketani, and Inagaki.
Tora, L. *See* Jordan, Mannervik, Tora, and Carmo-Fonseca.
Torres, M.A., Yang-Snyder, J.A., Purcell, S.M., DeMarais, A.A., McGrew, L.L., and Moon, R.T. Activities of the *Wnt*-1 class of secreted signaling factors are antagonized by the *Wnt*-5A class and by a dominant negative cadherin in early *Xenopus* development. 1123.
Tremblay, J.P. *See* Vilquin, Kinoshita, Roy, Goulet, Engvall, Tomé, Fardeau, and Tremblay.
Troyanovsky, R.B. *See* Chitaev, Leube, Troyanovsky, Eshkind, Franke, and Troyanovsky.
Troyanovsky, S.M. *See* Chitaev, Leube, Troyanovsky, Eshkind, Franke, and Troyanovsky.
Tschopp, J. *See* French, Hahne, Viard, Radlgruber, Zanone, Becker, Müller, and Tschopp.
Tsukita, S. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.
Tsutsumi, O. *See* Takai, Ogawara, Tomono, Moritoh, Imajoh-Ohmi, Tsutsumi, Taketani, and Inagaki.

U

Ullrich, A. *See* Sachs, Weidner, Brinkmann, Walther, Obermeier, Ullrich, and Birchmeier.

V

Vacquier, V.D. *See* Moy, Mendoza, Schulz, Swanson, Glabe, and Vacquier.
Vaisberg, E.A., Grissom, P.M., and McIntosh, J.R. Mammalian cells express three distinct dynein heavy chains that are localized to different cytoplasmic organelles. 831.
Vale, R.D. *See* Niclas, Allan, and Vale.
Van Den Berghe, H. *See* Steinfeld, Van Den Berghe, and David.
van der Bijl, P. *See* Burger, van der Bijl, and van Meer.
— *See* Zinkl, Zuk, van der Bijl, van Meer, and Matlin.
van Meer, G. *See* Burger, van der Bijl, and van Meer.
— *See* Zinkl, Zuk, van der Bijl, van Meer, and Matlin.
Verschoor, A., Srivastava, S., Grassucci, R., and Frank, J. Native 3D structure of eukaryotic 80S ribosome: Morphological homology with the *E. coli* 70S ribosome. 495.
Viard, I. *See* French, Hahne, Viard, Radlgruber, Zanone, Becker, Müller, and Tschopp.
Vilquin, J.-T., Kinoshita, I., Roy, B., Goulet, M., Engvall, E., Tomé, F., Fardeau, M., and Tremblay, J.P. Partial laminin $\alpha 2$ chain restoration in $\alpha 2$ chain-deficient *dy/dy* mouse by primary muscle cell culture transplantation. 185.
Visa, N., Izaurralde, E., Ferreira, J., Daneholt, B., and Mattaj, I.W. A nuclear cap-binding complex binds Balbiani ring pre-mRNA cotranscriptionally and accompanies the ribonucleoprotein particle during nuclear export. 5.
Vitale, N. *See* Chasserot-Golaz, Vitale, Sagot, Delouche, Dirrig, Pradel, Henry, Aunis, and Bader.
Vithalani, K. *See* Larochelle, Vithalani, and De Lozanne.

W

Waddell, T.K. *See* Demaurex, Downey, Waddell, and Grinstein.
Walther, I. *See* Sachs, Weidner, Brinkmann, Walther, Obermeier, Ullrich, and Birchmeier.
Wang, N. *See* Yoshida, Westlin, Wang, Ingber, Rosenzweig, Resnick, and Gimbrone.
Warmerdam, P.A.M., Long, E.O., and Roche, P.A. Isoforms of the invariant chain regulate transport of MHC class II molecules to antigen processing compartments. 281.
Warrick, H.M. *See* Goodson, Anderson, Warrick, Pon, and Spudich.
Weidner, K.M. *See* Sachs, Weidner, Brinkmann, Walther, Obermeier, Ullrich, and Birchmeier.
Weil, M., Jacobson, M.D., Coles, H.S.R., Davies, T.J., Gardner, R.L., Raff, K.D., and Raff, M.C. Constitutive expression of the machinery for programmed cell death. 1053.
— *See* Jacobson, Weil, and Raff.
Wein, H., Foss, M., Brady, B., and Cande, W.Z. DSK1, a novel kinesin-related protein from the diatom *Cylindrotheca fusiformis* that is involved in anaphase spindle elongation. 595.
Weis, K. *See* Palacios, Weis, Klebe, Mattaj, and Dingwall.
Wells, W.A.E., and Murray, A.W. Aberrantly segregating centromeres activate the spindle assembly checkpoint in budding yeast. 75.
Wepf, R. *See* Zabel, Doye, Tekotte, Wepf, Grandi, and Hurt.
West, M.A. *See* Simpson, Bright, West, Newman, Darnell, and Robinson.
Westlin, W.F. *See* Yoshida, Westlin, Wang, Ingber, Rosenzweig, Resnick, and Gimbrone.
White, J.M. *See* Danieli, Pelletier, Henis, and White.
Wieslander, L. *See* Baurén, Jiang, Bernholm, Gu, and Wieslander.
Wilkemeyer, M.F. *See* Ramanathan, Wilkemeyer, Mittal, Perides, and Charness.
Williams, S. *See* Scherer, Lederkremer, Williams, Fogliano, Baldini, and Lodish.
Windle, J. *See* Osheim, Mougey, Windle, Anderson, O'Reilly, Miller, Beyer, and Sollner-Webb.
Wong, D.H. *See* Koepp, Wong, Corbett, and Silver.
Wong, M.L. *See* Field, Al-Awar, Rosenblatt, Wong, Alberts, and Mitchison.
Wong, P.C. *See* Xu, Marszalek, Lee, Wong, Folmer, Crawford, Hsieh, Griffin, and Cleveland.
Wozniak, R.W. *See* Nehrbass, Rout, Maguire, Blobel, and Wozniak.
Wu, J.F. *See* Huang, Wu, Cass, Erle, Corry, Young, Farese, and Sheppard.
Wu, J.-X. *See* Huang, Wu, Fan, and Adamson.
Wu, X. *See* Jung, Wu, and Hammer.

X

Xu, H. *See* Müsch, Xu, Shields, and Rodriguez-Boulan.

Xu, Z., Marszalek, J.R., Lee, M.K., Wong, P.C., Folmer, J., Crawford, T.O., Hsieh, S.-T., Griffin, J.W., and Cleveland, D.W. Subunit composition of neurofilaments specifies axonal diameter. 1061.

Y

Yamamoto, A., Guacci, V., and Koshland, D. Pdslp is required for faithful execution of anaphase in the yeast, *Saccharomyces cerevisiae*. 85.

—, Guacci, V., and Koshland, D. Pdslp, an inhibitor of anaphase in budding yeast, plays a critical role in the APC and checkpoint pathway(s). 99.

Yang-Snyder, J.A. *See* Torres, Yang-Snyder, Purcell, DeMarais, McGrew, and Moon.

Yazaki, K. *See* Kanai, Kanai-Azuma, Noce, Saido, Shiroishi, Hayashi, and Yazaki.

Yehuda-Levenberg, S. *See* Simcha, Geiger, Yehuda-Levenberg, Salomon, and Ben-Ze'ev.

Yokota, S. *See* Satoh, Hirayoshi, Yokota, Hosokawa, and Nagata.

Yonemura, S. *See* Ando-Akatsuka, Saitou, Hirase, Kishi, Sakakibara, Itoh, Yonemura, Furuse, and Tsukita.

Yoshida, M., Westlin, W.F., Wang, N., Ingber, D.E., Rosenzweig, A., Resnick, N., and Gimbrone, M.A., Jr. Leukocyte adhesion to vascular endothelium induces E-selectin linkage to the actin cytoskeleton. 445.

Yoshimori, T., Keller, P., Roth, M.G., and Simons, K. Different biosynthetic transport routes to the plasma membrane in BHK and CHO cells. 247.

Young, S.G. *See* Huang, Wu, Cass, Erle, Corry, Young, Farese, and Sheppard.

Yu, Q.-C. *See* Allen, Yu, and Fuchs.

Yu, W., Schwei, M.J., and Baas, P.W. Microtubule transport and assembly during axon growth. 151.

Z

Zabel, U., Doye, V., Tekotte, H., Wepf, R., Grandi, P., and Hurt, E.C. Nic96p is required for nuclear pore formation and functionally interacts with a novel nucleoporin, Nup188p. 1141.

Zanone, R. *See* French, Hahne, Viard, Radlgruber, Zanone, Becker, Müller, and Tschopp.

Zeile, W.L., Purich, D.L., and Southwick, F.S. Recognition of two classes of oligoproline sequences in profilin-mediated acceleration of actin-based *Shigella* motility. 49.

Zhang, H. *See* Lastres, Letamendía, Zhang, Rius, Almendro, Raab, López, Langa, Fabra, Letarte, and Bernabéu.

Zhu, X., Ohtsubo, M., Böhmer, R.M., Roberts, J.M., and Assoian, R.K. Adhesion-dependent cell cycle progression linked to the expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of the retinoblastoma protein. 391.

Zinkl, G.M., Zuk, A., van der Bijl, P., van Meer, G., and Matlin, K.S. An antiglycolipid antibody inhibits Madin-Darby canine kidney cell adhesion to laminin and interferes with basolateral polarization and tight junction formation. 695.

Zioncheck, T.F. *See* Schwall, Chang, Godowski, Kahn, Hillan, Bauer, and Zioncheck.

Zuk, A. *See* Zinkl, Zuk, van der Bijl, van Meer, and Matlin.

SUBJECT INDEX VOLUME 133

Actin
  formation of filament bundles of, ring canals of developing *Drosophila* follicles, 61
  leukocyte adhesion to vascular endothelium induces E-selectin linkage to cytoskeleton of, 445
  motility in *Shigella* based on, two classes of oligoproline sequences in profilin-mediated acceleration, 49
  myosin I proteins required for polarization of cytoskeleton of, synthetic lethality screen identifies novel yeast myosin I gene, *MYO5*, 1277
  organization of, bristle morphology, viability, affected by actin-capping protein mutations in *Drosophila*, 1293
  role of glycolipid-based domains, protein kinases and cytoskeleton of, endocytosis of GPI-anchored proteins in human lymphocytes, 791
Active transport, of photoactivated tubulin molecules in growing axons revealed by new electron microscopic analysis, 1347
Adaptor complexes, novel adaptor-related protein complex, 749
Adhesion
  activities of *Wnt*-1 class of secreted signaling factors are antagonized by *Wnt*-5A class and by dominant negative cadherin in early *Xenopus* development, 1123
  alcohol inhibits cell–cell, mediated by human L1, 381
  antiglycolipid antibody inhibits Madin-Darby canine kidney cell, to laminin, interferes with basolateral polarization and tight junction formation, 695
  cell cycle progression dependent on, linked to expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of retinoblastoma protein, 391
  deficiency of Src family kinases p59/61*hck* and p58*c-fgr* results in defective functions of neutrophils dependent on, 895
  heterophilic interactions of DM-GRASP, GRASP-NgCAM interactions involved in neurite extension, 657
  of leukocytes to vascular endothelium induces E-selectin linkage to actin cytoskeleton, 445
  mice expressing mutant desmosomal cadherin exhibit abnormalities in desmosomes, proliferation, and epidermal differentiation, 1367
  neuroglian-mediated, induces assembly of membrane skeleton at cell contact sites, 647
Alcohol, inhibits cell–cell adhesion mediated by human L1, 381
Anaphase
  DSK1 involved in spindle elongation during, novel kinesin-related protein from diatom *Cylindrotheca fusiformis*, 595
  Pdslp is inhibitor of, budding yeast, plays critical role in APC and checkpoint pathways, 99
  Pdslp required for execution of, yeast, *Saccharomyces cerevisiae*, 85
Anisotropy, influence of M-phase chromatin on, microtubule asters, 125
Ankyrins
  identification of small cytoplasmic, binds $\beta I\Sigma^*$ spectrin, associates with Golgi apparatus, Ank_{G119}, kidney and muscle, 819
  neuroglian-mediated cell adhesion induces assembly of membrane skeleton at cell contact sites, 647
Annexin II, in exocytosis, catecholamine secretion requires translocation of p36 to subplasmalemmal region in chromaffin cells, 1217
Antigens, isoforms of invariant chain regulate transport of MHC class II molecules to processing compartments of, 281
Antisense RNA, inhibition of laminin α1-chain expression leads to alteration of basement membrane assembly and cell differentiation, 417
Apoptosis
  induction of DNA synthesis and, cardiac myocytes by E1A oncoprotein, 325
  ligand expression in immune-privileged tissues and coexpression in adult tissues characterized by cell turnover by, Fas and Fas ligand in embryos and adult mice, 335
Astrocytes, disrupted glial fibrillary acidic protein network in, vimentin knockout mice, 853
ATP, oligomerization and maturation of Na,K-ATPase, interaction of cytoplasmic NH_2 terminus of β subunit with α subunit, 1193
Autophagy, ultrastructural and biochemical characterization of, higher plant cells subjected to carbon deprivation, control by supply of mitochondria with respiratory substrates, 1251
Axon growth, microtubule transport and assembly during, 151
Axons
  active transport of photoactivated tubulin molecules in growing, revealed by new electron microscopic analysis, 1347
  subunit composition of neurofilaments specifies diameter of, 1061
  tubulin transport in neurons, 1355
Balbiani ring, nuclear cap-binding complex binds pre-mRNA in, cotranscriptionally, accompanies ribonucleoprotein particle during nuclear export, 5
Basement membranes, inhibition of laminin α1-chain expression leads to alteration of assembly of, cell differentiation, 417
Bemlp
  associations among PH and SH3 domain–containing proteins and Rho-type GTPases in yeast, 879
  yeast *src* homology region 3 domain-binding proteins involved in bud formation, 865
BHK cells, different biosynthetic transport routes to plasma membrane in CHO cells and, 247
Biotinylated tubulin, microtubule transport and assembly during axon growth, 151
Bone formation, chondrogenic differentiation of clonal mouse embryonic cell line ATDC5 in vitro, gene expression of parathyroid hormone/PTH-related peptide receptor, 457
Boss protein, mutations in *Drosophila hook* gene inhibit endocytosis of boss transmembrane ligand into multivesicular bodies, 1205
Bristles, morphology of, actin organization, viability, affected by actin-capping protein mutations in *Drosophila*, 1293
Budding
  associations among PH and SH3 domain–containing proteins and Rho-type GTPases in yeast, 879
  yeast *src* homology region 3 domain-binding proteins involved in, 865
  byr4, is novel suppressor of *ras1* in fission yeast, dosage-dependent inhibitor of cytokinesis, 1307
Cab45, is novel Ca^{2+}-binding protein localized to Golgi lumen, 257
Cadherin
  activities of *Wnt*-1 class of secreted signaling factors are antagonized by *Wnt*-5A class and by dominant negative, early *Xenopus* development, 1123
  binding of plakoglobin to desmosomal, patterns of binding sites and topogenic potential, 359
  mice expressing mutant desmosomal, exhibit abnormalities in desmosomes, proliferation, and epidermal differentiation, 1367
  Caenorhabditis elegans, ion channel subunit required for mechanotransduction in, sequence and transmembrane topology of MEC-4, 1071
Calcium binding protein, Cab45 is novel, localized to Golgi lumen, 257
Calmodulin, role of interaction of Spc110p and, proper assembly of spindle pole body components, 111
Cap-binding proteins, nuclear cap-binding complex binds Balbiani ring pre-mRNA cotranscriptionally and accompanies ribonucleoprotein particle during nuclear export, 5
Capping protein, actin organization, bristle morphology, and viability are affected by actin-capping protein mutations in *Drosophila*, 1293
Carbohydrate starvation, characterization of autophagy in higher plant cells subjected to carbon deprivation, control by supply of mitochondria with respiratory substrates, 1251
Carbon, characterization of autophagy in higher plant cells subjected to deprivation of, control by supply of mitochondria with respiratory substrates, 1251
Carboxypeptidase Y, Vpsl0p cycles between late-Golgi and prevacuolar compartments, sorting receptor for multiple yeast vacuolar hydrolases, 529
Carcinoma cells
  binding of plakoglobin to desmosomal cadherins, patterns of binding sites and topogenic potential, 359

chondrogenic differentiation of clonal mouse embryonic cell line ATDC5 in vitro, gene expression of parathyroid hormone/PTH-related peptide receptor, 457
Catecholamine, secretion of requires translocation of p36 to subplasmalemmal region in chromaffin cells, annexin II in exocytosis, 1217
Caveolae, ligand-induced protease receptor translocation into, mechanism for regulating cell surface proteolysis of tissue factor–dependent coagulation pathway, 293
Cdc42, cell type–specific roles for Rac, RhoL and, *Drosophila* oogenesis, 617
Ced-3/interleukin-1β converting enzyme family, role of Ced-3/ICE-family proteases in staurosporine-induced programmed cell death, 1041
Cell culture transplantation, partial laminin α2 chain restoration in α2 chain-deficient *dy/dy* mouse by primary muscle, 185
Cell cycle
aberrantly segregating centromeres activate spindle assembly checkpoint in budding yeast, 75
induction of DNA synthesis and apoptosis in cardiac myocytes by E1A oncoprotein, 325
mitosis-specific phosphorylation of vimentin by protein kinase C coupled with reorganization of intracellular membranes, 141
Cell cycle progression
adhesion-dependent, linked to expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of retinoblastoma protein, 391
14-3-3 proteins associate with phosphorylated simple epithelial keratins during, act as solubility cofactor, 345
Cell cycle regulation
of dynein association with membranes modulates microtubule-based organelle transport, 585
novel suppressor of *ras1* in fission yeast is dosage-dependent inhibitor of cytokinesis, *byr4*, 1307
Pdslp plays critical role in APC and checkpoint pathways, inhibitor of anaphase in budding yeast, 99
Pdslp required for execution of anaphase in yeast, *Saccharomyces cerevisiae*, 85
Cell differentiation, inhibition of laminin α1-chain expression leads to alteration of basement membrane assembly and, 417
Cell surface transport, different biosynthetic transport routes to plasma membrane in BHK and CHO cells, 247
Centromeres, activate spindle assembly checkpoint in budding yeast, aberrantly segregating, 75
Cerebellum, neurotrophins promote survival and development of neurons in, hypothyroid rats in vivo, 631
Chironomus tentans
dynamic transcription-dependent organization of pre-mRNA splicing factors in polytene nuclei, 929
nuclear cap-binding complex binds Balbiani ring pre-mRNA cotranscriptionally and accompanies ribonucleoprotein particle during nuclear export, 5
Chlamydomonas, inner dynein arms but not outer dynein arms require activity of kinesin homologue protein KHP1^{FLA10} to reach distal part of flagella in, 371
CHO cells, different biosynthetic transport routes to plasma membrane in BHK cells and, 247
Cholera toxin, in vero cells, transport of external Lys-Asp-Glu-Leu protein from plasma membrane to endoplasmic reticulum, KDEL, 777
Chromaffin cells, catecholamine secretion requires translocation of p36 to subplasmalemmal region in, annexin II in exocytosis, 1217
Chromatin, influence on anisotropy of microtubule asters, M-phase, 125
Chrondrogenesis, chondrogenic differentiation of clonal mouse embryonic cell line ATDC5 in vitro, gene expression of parathyroid hormone/PTH-related peptide receptor, 457
Clathrin, single vesicle budding step involving dynamin and, synaptic vesicle cycle, 1237
Coagulation pathway, mechanism for regulating cell surface proteolysis of tissue factor–dependent, ligand-induced protease receptor translocation into caveolae, 293
Coat proteins, novel adaptor-related protein complex, 749
Collagen, intracellular interaction of collagen-specific stress protein HSP47 specific for, newly synthesized procollagen, 469
Colon cancer, suppression of tumorigenicity by plakoglobin, augmenting effect of N-cadherin, 199
Constitutive cells, biosynthetic regulated secretory pathway in secretory, 1177
Contractility, Rho-stimulated, drives formation of stress fibers and focal adhesions, 1403
βCOP, involved in pH-dependent formation of transport vesicles destined for late endosomes, 29
Cyclins, adhesion-dependent cell cycle progression linked to expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of retinoblastoma protein, 391
Cycloheximide, constitutive expression of machinery for programmed cell death, 1053
Cylindrotheca fusiformis, DSK1 is novel kinesin-related protein from diatom, anaphase spindle elongation, 595
Cytokinesis
novel member of *rho* family of small GTP-binding proteins required for, 1321
novel suppressor of *ras1* in fission yeast is dosage-dependent inhibitor of, *byr4*, 1307
Cytoplasmic domains, synergy of integrin α subunit ratios, growth factors and, regulate muscle proliferation and differentiation, 169
Cytotoxin, oligomeric and subunit structure of *Helicobacter pylori* vacuolating, 801
Desmoglein, mice expressing mutant desmosomal cadherin exhibit abnormalities in desmosomes, proliferation, and epidermal differentiation, 1367
Desmosomes
binding of plakoglobin to cadherins in, patterns of binding sites and topogenic potential, 359
mice expressing mutant cadherin in, exhibit abnormalities in desmosomes, proliferation, and epidermal differentiation, 1367
Detergent solubility, traffic, polarity and, glycosylphosphatidylinositol–anchored protein after LDL-deprivation of MDCK cells, 1265
Diatom spindle kinesin 1, involved in anaphase spindle elongation, novel kinesin-related protein from diatom *Cylindrotheca fusiformis*, 595
Dictyostelium, overlapping functions of myosin-I isoforms, 221
Dictyostelium, mutants lacking multiple classic myosin I isoforms reveal combinations of shared and distinct functions, 305
Dimerization, heparin induces, confers proliferative activity onto hepatocyte growth factor antagonists NK1 and NK2, 709
DM-GRASP, heterophilic interactions of, GRASP-NgCAM interactions involved in neurite extension, 657
DNA replication, nuclear proteins of quiescent *Xenopus laevis* cells inhibit, intact and permeabilized nuclei, 955
DNA synthesis, induction of apoptosis and, cardiac myocytes by E1A oncoprotein, 325
DNA-damage checkpoint, Pdslp plays critical role in APC and checkpoint pathways, inhibitor of anaphase in budding yeast, 99
Drosophila
actin organization, bristle morphology, and viability are affected by actin-capping protein mutations in, 1293
cell type–specific roles for Cdc42, Rac, and RhoL in oogenesis in, 617
formation of actin filament bundles in ring canals of developing follicles of, 61
mutations in *hook* gene in, inhibit endocytosis of boss transmembrane ligand into multivesicular bodies, 1205
patterns of expression imply distinct functions for homologues of moesin and neurofibromatosis 2 tumor suppressor in, merlin, 843
septin complex forms filaments and exhibits GTPase activity, 605
DSK2, yeast ubiquitin-like genes involved in duplication of microtubule organizing center, 1331
Dynamin
association of dynamin-like protein with Golgi apparatus in mammalian cells, 761
single vesicle budding step involving clathrin and, synaptic vesicle cycle, 1237
Dynein
cell cycle regulation of, association with membranes modulates microtubule-based organelle transport, 585
mammalian cells express three distinct heavy chains of, localized to different cytoplasmic organelles, 831
Dynein arms, inner dynein arms but not outer dynein arms require activity of kinesin homologue protein KHP1^{FLA10} to reach distal part of flagella in *Chlamydomonas*, 371
Dystrophia muscularis mouse model, partial laminin α2 chain restoration in α2 chain-deficient *dy/dy* mouse by primary muscle cell culture transplantation, 185
E-selectin
fucosyltransferase FucT-VII regulates synthesis of ligand of, human T cells, 911
leukocyte adhesion to vascular endothelium induces linkage of, actin cytoskeleton, 445
E1A proteins, induction of DNA synthesis and apoptosis in cardiac myocytes by E1A oncoprotein, 325
Early growth response–1 gene, UV activates growth factor receptors via reactive oxygen intermediates, 211

Egg jelly, sea urchin sperm receptor for, modular protein with extensive homology to human polycystic kidney disease protein, PKD1, 809
Embryogenesis, Fas and Fas ligand in embryos and adult mice, ligand expression in immune-privileged tissues and co-expression in adult tissues characterized by apoptotic cell turnover, 335
Endocytosis
of GPI-anchored proteins in human lymphocytes, role of glycolipid-based domains, actin cytoskeleton, and protein kinases, 791
mutations in *Drosophila hook* gene inhibit, boss transmembrane ligand into multivesicular bodies, 1205
Endoglin, modulates cellular responses to TGF-β1, 1109
Endoplasmic reticulum
storage disease causing congenital goiter and hypothyroidism, 517
topology of sphingolipid galactosyltransferases in Golgi and, transbilayer movement of monohexosyl sphingolipids required for higher glycosphingolipid biosynthesis, 15
transport of external Lys-Asp-Glu-Leu protein from plasma membrane to, KDEL, cholera toxin in vero cells, 777
Endosomes
endosomal βCOP involved in pH-dependent formation of transport vesicles destined for late, 29
isoforms of invariant chain regulate transport of MHC class II molecules to antigen processing compartments, 281
synaptic vesicle cycle, single vesicle budding step involving clathrin and dynamin, 1237
Endothelial cells, leukocyte adhesion to vascular, induces E-selectin linkage to actin cytoskeleton, 445
Epidermis, mice expressing mutant desmosomal cadherin exhibit abnormalities in desmosomes, proliferation, and differentiation in, 1367
Epithelial cells
inactivation of integrin β6 subunit gene reveals role of integrins in, regulating inflammation in lungs and skin, 921
motogenic and morphogenic activity of receptor tyrosine kinases in, 1095
14-3-3 proteins associate with phosphorylated simple epithelial keratins during cell cycle progression and act as solubility cofactor, 345
Escherichia coli, native 3D structure of eukaryotic 80S ribosome, morphological homology with 70S ribosome of, 495
Exocytosis, annexin II in, catecholamine secretion requires translocation of p36 to subplasmalemmal region in chromaffin cells, 1217
Ezrin-radixin-moesin family, patterns of expression imply distinct functions for *Drosophila* homologues of moesin and neurofibromatosis 2 tumor suppressor, merlin, 843
Fas, and Fas ligand in embryos and adult mice, ligand expression in immune-privileged tissues and coexpression in adult tissues characterized by apoptotic cell turnover, 335
Fetal alcohol syndrome, alcohol inhibits cell–cell adhesion mediated by human L1, 381
Fibroblast growth factor receptor-1, stimulation of occupancy of, signaling by cell surface–associated syndecans and glypican, 405
Fibronectin, novel role for integrin-binding III-10 module in matrix assembly of, 431
Filaments
Drosophila septin complex forms, GTPase activity, 605
subunit composition of neurofilaments specifies axonal diameter, 1061
Flagella, inner dynein arms but not outer dynein arms require activity of kinesin homologue protein KHP1^{FLA10} to reach distal part of, *Chlamydomonas*, 371
Focal adhesions, Rho-stimulated contractility drives formation of stress fibers and, 1403
Follicles, formation of actin filament bundles in ring canals of developing, *Drosophila*, 61
Fucosyltransferase, FucT-VII regulates E-selectin ligand synthesis in human T cells, 911
Fusion, of membranes mediated by influenza virus hemagglutinin requires action of at least three hemagglutinin trimers, 559
Galectin-1, new pathway for protein export in *Saccharomyces cerevisiae*, 1017
Glial fibrillary acidic protein, disrupted network of, astrocytes from vimentin knockout mice, 853
Glucocorticoid receptor, fusion of chimera with green fluorescent protein, evidence that RAN/TC4 GTPase mediates essential function independent of nuclear protein import, 985
Glutathione peroxidase, inhibition of IκB-α phosphorylation and degradation and subsequent NF-κB activation by overexpression of, 1083
Glycoaminoglycan chains, [^{35}S]SO_4-labeled, biosynthetic regulated secretory pathway in constitutive secretory cells, 1177
Glycolipid, antiglycolipid antibody inhibits Madin-Darby canine kidney cell adhesion to laminin, interferes with basolateral polarization and tight junction formation, 695
Glycosphingolipid biosynthesis, transbilayer movement of monohexosyl sphingolipids required for, topology of sphingolipid galactosyltransferases in ER and Golgi, 15
Glycosylphosphatidylinositol, traffic, polarity, and detergent solubility of protein anchored with, LDL-deprivation of MDCK cells, 1265
Glypican, stimulation of fibroblast growth factor receptor-1 occupancy and signaling by cell surface–associated syndecans and, 405
Goiter, endoplasmic reticulum storage disease causing hypothyroidism and congenital, 517
Golgi
association of dynamin-like protein with, mammalian cells, 761
Cab45 is novel Ca^{2+}-binding protein localized to lumen of, 257
distribution of α subunits and $\beta\gamma$ subunits of heterotrimeric G proteins on membranes of, exocrine pancreas, 1027
identification of small cytoplasmic ankyrin in kidney and muscle that binds βIΣ* spectrin and associates with, Ank$_{G119}$, 819
ion channel activity of influenza virus M_2 protein affects transport through, 733
mammalian cells express three distinct dynein heavy chains that are localized to different cytoplasmic organelles, 831
topology of sphingolipid galactosyltransferases in ER and, transbilayer movement of monohexosyl sphingolipids required for higher glycosphingolipid biosynthesis, 15
transport of external Lys-Asp-Glu-Leu protein from plasma membrane to endoplasmic reticulum, KDEL, cholera toxin in vero cells, 777
Vps10p cycles between late-Golgi and prevacuolar compartments in its function as sorting receptor for multiple yeast vacuolar hydrolases, 529
v-SNARE implicated in intra-Golgi transport, 507
GOS-28, v-SNARE implicated in intra-Golgi transport, 507
GPI-anchored proteins, endocytosis of, human lymphocytes, role of glycolipid-based domains, actin cytoskeleton, and protein kinases, 791
Granulocyte macrophage colony stimulating factor, produced in lesioned peripheral nerves induces up-regulation of cell surface expression of MAC-2 by macrophages and Schwann cells, 159
Green fluorescent protein, fusion with glucocorticoid receptor chimera, evidence that RAN/TC4 GTPase mediates essential function independent of nuclear protein import, 985
Growth factor receptors, UV activates, via reactive oxygen intermediates, 211
Growth factors, synergy of integrin α subunit ratios, cytoplasmic domains and, regulate muscle proliferation and differentiation, 169
GTPase
distinct from Ran involved in nuclear protein import, 971
Drosophila septin complex forms filaments and exhibits activity of, 605
evidence that RAN/TC4 GTPase mediates essential function independent of nuclear protein import, green fluorescent protein-glucocorticoid receptor chimera, 985
GTP-binding proteins, novel member of *rho* family of small, required for cytokinesis, 1321
Gycolipids, role of actin cytoskeleton, protein kinases and domains based on, endocytosis of GPI-anchored proteins in human lymphocytes, 791
Heat shock protein 47, intracellular interaction of collagen-specific stress protein, newly synthesized procollagen, 469
Helicobacter pylori, oligomeric and subunit structure of vacuolating cytotoxin in, 801
Hemagglutinin
ion channel activity of influenza virus M_2 protein affects transport through Golgi apparatus, 733
membrane fusion mediated by, influenza virus, requires action of at least three hemagglutinin trimers, 559
Heparan sulfate, stimulation of fibroblast growth factor receptor-1 occupancy and signaling by cell surface–associated syndecans and glypican, 405
Heparin, induces dimerization and confers proliferative activity onto hepatocyte growth factor antagonists NK1 and NK2, 709
Hepatocyte growth factor, heparin induces dimerization and confers proliferative activity onto antagonists NK1 and NK2 of, 709
Heterotrimeric G proteins, distribution of α subunits and $\beta\gamma$ subunits of, Golgi membranes of exocrine pancreas, 1027
High mobility group box, identification of two Sox17 messenger RNA isoforms with and without region of, differential expression in mouse spermatogenesis, 667

hook gene, mutations in, *Drosophila*, inhibit endocytosis of boss transmembrane ligand into multivesicular bodies, 1205
Hydrolases, Vps10p cycles between late-Golgi and prevacuolar compartments in its function as sorting receptor for multiple yeast vacuolar, 529
Hypothyroidism
endoplasmic reticulum storage disease causing congenital goiter and, 517
neurotrophins promote survival and development of neurons in cerebellum of rats with, in vivo, 631
I band, three-dimensional structure of Z band in normal mammalian skeletal muscle, 571
III-10 Module, novel role for integrin-binding, fibronectin matrix assembly, 431
IκB-α, inhibition of phosphorylation of, degradation and subsequent NF-κB activation by glutathione peroxidase overexpression, 1083
Immune-receptor tyrosine-based activation motif, features of p59^{fyn} src homology 4 domain define motif for binding of, plasma membrane localization, 1007
Immunoglobulin A, signal transduction by polymeric immunoglobulin receptor suggests role in regulation of receptor transcytosis, 997
Importin-β, dynamic localization of nuclear import receptor and its interactions with transport factors, 1163
Inflammatory diseases, inactivation of integrin β6 subunit gene reveals role of epithelial integrins in regulating, lungs and skin, 921
Influenza virus
ion channel activity of M_2 protein of, transport through Golgi apparatus, 733
membrane fusion mediated by hemagglutinin of, requires action of at least three hemagglutinin trimers, 559
Insulin-like growth factor binding protein-5, modulates muscle differentiation through insulin-like growth factor–dependent mechanism, 683
Insulin-like growth factors, insulin-like growth factor binding protein-5 modulates muscle differentiation through mechanism dependent on, 683
Integral membrane protein, sorting sequence of peroxisomal, PMP47 is contained within short hydrophilic loop, 269
Integrins
α5β1, novel role for integrin-binding III-10 module in fibronectin matrix assembly, 431
inactivation of integrin β6 subunit gene reveals role of epithelial, regulating inflammation in lungs and skin, 921
integrin α subunit ratios, cytoplasmic domains, growth factor synergy regulate muscle proliferation and differentiation, 169
Intranuclear microtubule organizer, role of calmodulin and Spc110p interaction in proper assembly of spindle pole body components, 111
Invariant chain, isoforms of, regulate transport of MHC class II molecules to antigen processing compartments, 281
Ion channel
activity of, influenza virus M_2 protein, transport through Golgi apparatus, 733
subunit required for mechanotransduction in *Caenorhabditis elegans*, sequence and transmembrane topology of MEC-4, 1071
Isoforms
Dictyostelium mutants lacking multiple classic myosin I, combinations of shared and distinct functions, 305
of invariant chain regulate transport of MHC class II molecules to antigen processing compartments, 281
mammalian cells express three distinct dynein heavy chains that are localized to different cytoplasmic organelles, 831
overlapping functions of myosin-I, 221
Keratins, 14-3-3 proteins associate with phosphorylated, simple epithelial, cell cycle progression, act as solubility cofactor, 345
Kidney, identification of small cytoplasmic ankyrin in muscle and, binds βIΣ* spectrin and associates with Golgi apparatus, Ank$_{GI19}$, 819
Kinesin homologue protein 1, inner dynein arms but not outer dynein arms require activity of kinesin homologue protein KHP1^{FLA10} to reach distal part of flagella in *Chlamydomonas*, 371
Kinesin-II, membrane traffic motor in axons, axonemes, and spindles, 1
Kinesin-related proteins, DSK1 is novel, diatom *Cylindrotheca fusiformis*, anaphase spindle elongation, 595
L1, alcohol inhibits cell–cell adhesion mediated by, human, 381
Laminin, antiglycolipid antibody inhibits Madin-Darby canine kidney cell adhesion to, interferes with basolateral polarization and tight junction formation, 695
Laminin-1, inhibition of laminin α1-chain expression leads to alteration of basement membrane assembly and cell differentiation, 417
Laminin α2 chain, partial restoration of, α2 chain-deficient *dy/dy* mouse, primary muscle cell culture transplantation, 185
Leukocytes, adhesion to vascular endothelium induces E-selectin linkage to actin cytoskeleton, 445
Ligands
endoglin modulates cellular responses to TGF-β1, 1109
expression in immune-privileged tissues and coexpression in adult tissues characterized by apoptotic cell turnover, Fas and Fas ligand in embryos and adult mice, 335
fucosyltransferase FucT-VII regulates E-selectin ligand synthesis in human T cells, 911
Low density lipoprotein, traffic, polarity, and detergent solubility of glycosylphosphatidylinositol–anchored protein after deprivation of, MDCK cells, 1265
Lumen, Cab45 is novel Ca^{2+}-binding protein localized to Golgi, 257
Lungs
heparin induces dimerization and confers proliferative activity onto hepatocyte growth factor antagonists NK1 and NK2, 709
inactivation of integrin β6 subunit gene reveals role of epithelial integrins in regulating inflammation in skin and, 921
Lymphocytes, endocytosis of GPI-anchored proteins in human, role of glycolipid-based domains, actin cytoskeleton, and protein kinases, 791
MAC-2, granulocyte macrophage colony stimulating factor produced in lesioned peripheral nerves induces up-regulation of cell surface expression of, macrophages and Schwann cells, 159
Macrophages, granulocyte macrophage colony stimulating factor produced in lesioned peripheral nerves induces up-regulation of cell surface expression of MAC-2 by Schwann cells and, 159
Madin–Darby canine kidney cells
antiglycolipid antibody inhibits adhesion of, to laminin, interferes with basolateral polarization and tight junction formation, 695
traffic, polarity, and detergent solubility of glycosylphosphatidylinositol–anchored protein after LDL-deprivation of, 1265
Major histocompatibility complex class II molecules, isoforms of invariant chain regulate transport of, antigen processing compartments, 281
Mammalian cells
association of dynamin-like protein with Golgi apparatus in, 761
express three distinct dynein heavy chains that are localized to different cytoplasmic organelles, 831
Mammalian homologues, interspecies diversity of occludin sequence, cDNA cloning of human, mouse, dog, and rat–kangaroo homologues, 43
MEC-4, sequence and transmembrane topology of, ion channel subunit required for mechanotransduction in *Caenorhabditis elegans*, 1071
Mechanotransduction, ion channel subunit required for, *Caenorhabditis elegans*, sequence and transmembrane topology of MEC-4, 1071
Membrane fusion, mediated by influenza virus hemagglutinin requires action of at least three hemagglutinin trimers, 559
Membrane skeleton, neuroglian-mediated cell adhesion induces assembly of, cell contact sites, 647
Membrane traffic motors, kinesin II, axons, axonemes, and spindles, 1
Membrane trafficking
cell cycle regulation of dynein association with membranes modulates microtubule-based organelle transport, 585
signal transduction by polymeric immunoglobulin receptor suggests role in regulation of receptor transcytosis, 997
Merlin, patterns of expression imply distinct functions for *Drosophila* homologues of moesin and, neurofibromatosis 2 tumor suppressor, 843
Messenger RNA isoforms, identification of two Sox17, with and without high mobility group box region, differential expression in mouse spermatogenesis, 667
Messenger RNA precursors, nuclear cap-binding complex binds, Balbiani ring, cotranscriptionally, accompanies ribonucleoprotein particle during nuclear export, 5
Metazoan, rDNA enhancer from, acts by making more genes transcriptionally active, 943
Mice
chondrogenic differentiation of clonal, embryonic cell line ATDC5 in vitro, gene expression of parathyroid hormone/PTH-related peptide receptor, 457
disrupted glial fibrillary acidic protein network in astrocytes from vimentin knockout, 853
Fas and Fas ligand in embryos and adult, ligand expression in immune-privileged tissues and coexpression in adult tissues characterized by apoptotic cell turnover, 335

subunit composition of neurofilaments specifies axonal diameter, 1061
Microtubule assembly
influence of M-phase chromatin on anisotropy of microtubule asters, 125
and transport during axon growth, 151
Microtubule transport, and microtubule assembly during axon growth, 151
Microtubules
cell cycle regulation of dynein association with membranes modulates organelle transport based on, 585
tubulin transport in neurons, 1355
yeast ubiquitin-like genes involved in duplication of organizing center of, 1331
Mini-chromosomes, aberrantly segregating centromeres activate spindle assembly checkpoint in budding yeast, 75
Mitochondria, control by supply of, respiratory substrates, characterization of autophagy in higher plant cells subjected to carbon deprivation, 1251
Mitogen-activated protein kinase, phosphoprotein stathmin essential for nerve growth factor–stimulated differentiation, 1383
Mitosis, rDNA transcription machinery is assembled during, active NORs and absent in inactive NORs, 235
Moesin, patterns of expression imply distinct functions for *Drosophila* homologues of, neurofibromatosis 2 tumor suppressor, merlin, 843
Molecular chaperones
endoplasmic reticulum storage disease causing congenital goiter and hypothyroidism, 517
intracellular interaction of collagen-specific stress protein HSP47 with newly synthesized procollagen, 469
Monocytes, endoglin modulates cellular responses to TGF-β1, 1109
Monosome, 80S, native 3D structure of eukaryotic 80S ribosome, morphological homology with *E. coli* 70S ribosome, 495
Morphogenesis, motogenic and morphogenic activity of epithelial receptor tyrosine kinases, 1095
Motility
Dictyostelium mutants lacking multiple classic myosin I isoforms reveal combinations of shared and distinct functions, 305
motogenic and morphogenic activity of, epithelial receptor tyrosine kinases, 1095
two classes of oligoproline sequences in profilin-mediated acceleration of, actin-based, *Shigella*, 49
Motor domains, kinesin II is membrane traffic motor in axons, axonemes, and spindles, 1
Mouse
identification of two Sox17 messenger RNA isoforms and their differential expression in spermatogenesis in, with and without high mobility group box region, 667
partial laminin α2 chain restoration in α2 chain-deficient *dy/dy* mouse by primary muscle cell culture transplantation, 185
M-phase, influence of chromatin during, anisotropy of microtubule asters, 125
Multivesicular bodies, mutations in *Drosophila hook* gene inhibit endocytosis of boss transmembrane ligand into, 1205
Muscle cells, partial laminin α2 chain restoration in α2 chain-deficient *dy/dy* mouse by primary, cell culture transplantation, 185
Muscle differentiation
insulin-like growth factor binding protein-5 modulates, insulin-like growth factor–dependent mechanism, 683
integrin α subunit ratios, cytoplasmic domains, growth factor synergy regulate muscle proliferation and, 169
Muscles, three-dimensional structure of Z band in normal mammalian skeletal, 571
Myoblasts, integrin α subunit ratios, cytoplasmic domains, growth factor synergy regulate muscle proliferation and differentiation, 169
Myocytes, induction of DNA synthesis and apoptosis in cardiac, E1A oncoprotein, 325
Myogenesis, insulin-like growth factor binding protein-5 modulates muscle differentiation through insulin-like growth factor–dependent mechanism, 683
Myosin I
Dictyostelium mutants lacking multiple classic isoforms of, combinations of shared and distinct functions, 305
overlapping functions of isoforms of, 221
synthetic lethality screen identifies novel yeast gene of, *MYO5*, myosin I proteins required for polarization of actin cytoskeleton, 1277
Na^+/H^+ antiport, intracellular pH regulation during spreading of human neutrophils, 1391
Na,K-ATPase, oligomerization and maturation of, interaction of cytoplasmic NH_2 terminus of β subunit with α subunit, 1193
N-cadherin, augmenting effect of, suppression of tumorigenicity by plakoglobin, 199
Nerve growth factor, phosphoprotein stathmin essential for differentiation stimulated by, 1383
Neurites, GRASP-NgCAM interactions involved in extension of, heterophilic interactions of DM-GRASP, 657
Neurofibromatosis 2 tumor suppressor, patterns of expression imply distinct functions for *Drosophila* homologues of moesin and, merlin, 843
Neurofilaments, subunit composition of, specifies axonal diameter, 1061
Neuroglian, mediates cell adhesion, induces assembly of membrane skeleton at cell contact sites, 647
Neurons
neurotrophins promote survival and development of, cerebellum of hypothyroid rats in vivo, 631
phosphoprotein stathmin essential for nerve growth factor–stimulated differentiation, 1383
tubulin transport in, 1355
Neurotrophins, promote survival and development of neurons in cerebellum of hypothyroid rats in vivo, 631
Neutrophils
deficiency of Src family kinases p59/61^{hck} and p58$^{c\text{-}fgr}$ results in defective functions of adhesion-dependent, 895
intracellular pH regulation during spreading of human, 1391
NF-κB, inhibition of IκB-α phosphorylation and degradation and subsequent activation of, glutathione peroxidase overexpression, 1083
NgCAM, heterophilic interactions of DM-GRASP with, neurite extension, 657
Nic96p
required for nuclear pore formation and interacts with novel nucleoporin, Nup188p, 1141
yeast nucleoporin Nup188p interacts genetically and physically with core structures of nuclear pore complex, 1153
NK1, heparin induces dimerization and confers proliferative activity onto hepatocyte growth factor antagonists NK2 and, 709
Nuclear export, nuclear cap-binding complex binds Balbiani ring pre-mRNA cotranscriptionally and accompanies ribonucleoprotein particle during, 5
Nuclear import
evidence that RAN/TC4 GTPase mediates essential function independent of, protein, green fluorescent protein-glucocorticoid receptor chimera, 985
GTPase distinct from Ran involved in, protein, 971
RAN/TC4 mutants identify common requirement for snRNP and protein import into nucleus, 485
Nuclear import receptor, dynamic localization of, interactions with transport factors, 1163
Nuclear localization, intron-dependent recruitment of pre-mRNA splicing factors to sites of transcription, 719
Nuclear pore complex
Nic96p required for formation of, interacts with novel nucleoporin, Nup188p, 1141
yeast nucleoporin Nup188p interacts genetically and physically with core structures of, 1153
Nuclear proteins, of quiescent *Xenopus laevis* cells inhibit DNA replication in intact and permeabilized nuclei, 955
Nucleolar organizer regions, rDNA transcription machinery is assembled during mitosis in active, absent in inactive NORs, 235
Nucleoporin
interacts genetically and physically with core structures of nuclear pore complex, yeast, Nup188p, 1153
Nic96p required for nuclear pore formation and interacts with novel, Nup188p, 1141
Nup188p
interacts genetically and physically with core structures of nuclear pore complex, yeast nucleoporin, 1153
Nic96p required for nuclear pore formation and interacts with, novel nucleoporin, 1141
Occludin, interspecies diversity of sequence of, cDNA cloning of human, mouse, dog, and rat–kangaroo homologues, 43
Oligomerization, and maturation of Na,K-ATPase, interaction of cytoplasmic NH_2 terminus of β subunit with α subunit, 1193
Oligomers, structure of, *Helicobacter pylori* vacuolating cytotoxin, 801
Oligoproline sequences, two classes of, profilin-mediated acceleration of actin-based motility, *Shigella*, 49
Oogenesis, cell type–specific roles for Cdc42, Rac, and RhoL in, *Drosophila*, 617
Organelle transport, cell cycle regulation of dynein association with membranes modulates microtubule-based, 585
p36, catecholamine secretion requires translocation of, subplasmalemmal region in chromaffin cells, annexin II in exocytosis, 1217
p47, novel adaptor-related protein complex, 749
p59^{fyn}, features of src homology 4 domain, define motif for immune-receptor tyrosine-based activation motif binding and for plasma membrane localization, 1007

Pancreas, distribution of α subunits and βγ subunits of heterotrimeric G proteins on Golgi membranes of exocrine, 1027
Parathyroid hormone, gene expression of parathyroid hormone/PTH-related peptide receptor, chondrogenic differentiation of clonal mouse embryonic cell line ATDC5 in vitro, 457
Pdslp
plays critical role in APC and checkpoint pathways, inhibitor of anaphase in budding yeast, 99
required for execution of anaphase in yeast, *Saccharomyces cerevisiae*, 85
Peripheral nerves, granulocyte macrophage colony stimulating factor produced in lesioned, induces up-regulation of cell surface expression of MAC-2 by macrophages and Schwann cells, 159
Peroxisomal membrane proteins, sorting sequence of peroxisomal integral membrane protein PMP47 is contained within short hydrophilic loop, 269
pH
during spreading of human neutrophils, intracellular, 1391
endosomal βCOP involved in formation of transport vesicles is dependent on, destined for late endosomes, 29
Phagocytosis, Dictyostelium mutants lacking multiple classic myosin I isoforms reveal combinations of shared and distinct functions, 305
Phosphoprotein, stathmin essential for nerve growth factor–stimulated differentiation, 1383
Phosphorylation
of IκB-α is inhibited, degradation and subsequent NF-κB activation by glutathione peroxidase overexpression, 1083
14-3-3 proteins associate with phosphorylated simple epithelial keratins during cell cycle progression and act as solubility cofactor, 345
of retinoblastoma protein linked to adhesion-dependent cell cycle progression, expression of cyclin D1, activation of cyclin E-cdk2, 391
of vimentin by protein kinase C coupled with reorganization of intracellular membranes, mitosis-specific, 141
Plakoglobin
binding to desmosomal cadherins, patterns of binding sites and topogenic potential, 359
suppression of tumorigenicity by, augmenting effect of N-cadherin, 199
Plasma membrane
different biosynthetic transport routes to, BHK and CHO cells, 247
distribution of α subunits and βγ subunits of heterotrimeric G proteins on, Golgi, exocrine pancreas, 1027
features of p59^{fyn} src homology 4 domain define motif for immune-receptor tyrosine-based activation motif binding and for localization of, 1007
transport of external Lys-Asp-Glu-Leu protein from, endoplasmic reticulum, KDEL, cholera toxin in vero cells, 777
Pleckstrin homology domains, associations among SH3 domain–containing proteins, Rho-type GTPases and, yeast, 879
Polarity
antiglycolipid antibody interferes with basolateral tight junction formation and basolateral, inhibits Madin-Darby canine kidney cell adhesion to laminin, 695
myosin I proteins required for, actin cytoskeleton, synthetic lethality screen identifies novel yeast myosin I gene, *MYO5*, 1277
traffic, detergent solubility and, glycosylphosphatidylinositol–anchored protein after LDL-deprivation of MDCK cells, 1265
transport of vesicular stomatitis virus G protein to cell surface is signal mediated in polarized and nonpolarized cells, 543
Polycystic kidney disease, sea urchin sperm receptor for egg jelly is modular protein with extensive homology to human protein of, PKD1, 809
Polymeric immunoglobulin receptor, signal transduction by, role in regulation of receptor transcytosis, 997
Polymerization
active transport of photoactivated tubulin molecules in growing axons revealed by new electron microscopic analysis, 1347
novel role for integrin-binding III-10 module in fibronectin matrix assembly, 431
tubulin transport in neurons, 1355
Polymorphonuclear leukocytes, deficiency of Src family kinases p59/61^{hck} and p58$^{c\text{-}fgr}$ results in defective adhesion-dependent neutrophil functions, 895
Pre-mRNA
dynamic transcription-dependent organization of splicing factors of, polytene nuclei, 929
intron-dependent recruitment of splicing factors of, sites of transcription, 719
Procollagen, intracellular interaction of collagen-specific stress protein HSP47 with newly synthesized, 469
Profilin, mediates acceleration of actin-based motility, *Shigella*, two classes of oligoproline sequences, 49
Programmed cell death
constitutive expression of machinery for, 1053
role of Ced-3/ICE-family proteases in staurosporine-induced, 1041
Protease receptor, ligand-induced translocation of, caveolae, mechanism for regulating cell surface proteolysis of tissue factor–dependent coagulation pathway, 293
Proteases, role of Ced-3/ICE-family proteases in staurosporine-induced programmed cell death, 1041
Protein export, new pathway for, *Saccharomyces cerevisiae*, 1017
Protein import, RAN/TC4 mutants identify common requirement for snRNP and, nucleus, 485
Protein kinase C, mitosis-specific phosphorylation of vimentin by, coupled with reorganization of intracellular membranes, 141
Protein kinases, role of glycolipid-based domains, actin cytoskeleton and, endocytosis of GPI-anchored proteins in human lymphocytes, 791
Protein synthesis, constitutive expression of machinery for programmed cell death, 1053
Protein transport
dynamic localization of nuclear import receptor and its interactions with transport factors, 1163
evidence that RAN/TC4 GTPase mediates essential function independent of, nuclear import, green fluorescent protein-glucocorticoid receptor chimera, 985
of external Lys-Asp-Glu-Leu protein from plasma membrane to endoplasmic reticulum, KDEL, cholera toxin in vero cells, 777
GTPase distinct from Ran involved in, nuclear import, 971
Proteins
14-3-3, associate with phosphorylated simple epithelial keratins during cell cycle progression and act as solubility cofactor, 345
M_2, ion channel activity of, influenza virus, transport through Golgi apparatus, 733
Proteolysis, mechanism for regulating cell surface, tissue factor–dependent coagulation pathway, ligand-induced protease receptor translocation into caveolae, 293
Quiescent cells, nuclear proteins of, *Xenopus laevis*, inhibit DNA replication in intact and permeabilized nuclei, 955
Rac, cell type–specific roles for Cdc42, RhoL and, *Drosophila* oogenesis, 617
Ran, GTPase distinct from, nuclear protein import, 971
Ran proteins, RAN/TC4 mutants identify common requirement for snRNP and protein import into nucleus, 485
Ran/TC4, evidence that RAN/TC4 GTPase mediates essential function independent of nuclear protein import, green fluorescent protein-glucocorticoid receptor chimera, 985
ras1, novel suppressor of, fission yeast, dosage-dependent inhibitor of cytokinesis, *byr4*, 1307
Rat, neurotrophins promote survival and development of neurons in cerebellum of hypothyroid, in vivo, 631
rDNA enhancer, acts by making more genes transcriptionally active, metazoan, 943
rDNA transcription, machinery is assembled during mitosis in active NORs and absent in inactive NORs, 235
Reactive oxygen intermediates, UV activates growth factor receptors via, 211
Reactive oxygen species, inhibition of IκB-α phosphorylation and degradation and subsequent NF-κB activation by glutathione peroxidase overexpression, 1083
Regulated secretory pathway, in constitutive secretory cells, 1177
Respiratory substrates, control by supply of mitochondria with, characterization of autophagy in higher plant cells subjected to carbon deprivation, 1251
Retinoblastoma protein, adhesion-dependent cell cycle progression linked to phosphorylation of, expression of cyclin D1, activation of cyclin E-cdk2, 391
Rho, contractility stimulated by, drives formation of stress fibers and focal adhesions, 1403
rho family, novel member of, small GTP-binding proteins required for cytokinesis, 1321
RhoL, cell type–specific roles for Cdc42, Rac and, *Drosophila* oogenesis, 617
Rho-type GTPases, associations among PH, SH3 domain–containing proteins and, yeast, 879
Ribosomes, native 3D structure of eukaryotic 80S ribosome, morphological homology with *E. coli* 70S ribosome, 495
Ring canals, formation of actin filament bundles in, developing *Drosophila* follicles, 61
RNA polymerase I
rDNA transcription machinery is assembled during mitosis in active NORs and absent in inactive NORs, 235

in vivo evidence that TATA-binding protein/SL1 colocalizes with UBF and, rRNA synthesis is either active or inactive, 225
Rnalp, dynamic localization of nuclear import receptor and its interactions with transport factors, 1163
rRNA synthesis, in vivo evidence that TATA-binding protein/SL1 colocalizes with UBF and RNA polymerase I during, active or inactive, 225
80S monosome, native 3D structure of eukaryotic 80S ribosome, morphological homology with *E. coli* 70S ribosome, 495
Saccharomyces cerevisiae
new pathway for protein export in, 1017
Pdslp plays critical role in APC and checkpoint pathways in, inhibitor of anaphase in budding yeast, 99
Pdslp required for execution of anaphase in, 85
role of calmodulin and Spc110p interaction in proper assembly of spindle pole body components, 111
synthetic lethality screen identifies novel myosin I gene in, *MYO5*, myosin I proteins required for polarization of actin cytoskeleton, 1277
ubiquitin-like genes involved in duplication of microtubule organizing center in, 1331
Vps10p cycles between late-Golgi and prevacuolar compartments in its function as sorting receptor for multiple vacuolar hydrolases in, 529
Schizosaccharomyces pombe, novel suppressor of *ras1* in, dosage-dependent inhibitor of cytokinesis, *byr4*, 1307
Schwann cells, granulocyte macrophage colony stimulating factor produced in lesioned peripheral nerves induces up-regulation of cell surface expression of MAC-2 by macrophages and, 159
Sea urchin, sperm receptor in, egg jelly, modular protein with extensive homology to human polycystic kidney disease protein, PKD1, 809
Secretion
biosynthetic regulated secretory pathway in constitutive secretory cells, 1177
of catecholamine requires translocation of p36 to subplasmalemmal region in chromaffin cells, annexin II in exocytosis, 1217
Secretory pathway, new pathway for protein export in *Saccharomyces cerevisiae*, 1017
Septins, *Drosophila* complex with, forms filaments and exhibits GTPase activity, 605
Shigella flexneri, two classes of oligoproline sequences in profilin-mediated acceleration of actin-based motility in, 49
Signal transduction
deficiency of Src family kinases p59/61^{hck} and p58$^{c\text{-}fgr}$ results in defective adhesion-dependent neutrophil functions, 895
by polymeric immunoglobulin receptor suggests role in regulation of receptor transcytosis, 997
Signaling
activities of *Wnt*-1 class of secreted factors of, antagonized by *Wnt*-5A class and by dominant negative cadherin in early *Xenopus* development, 1123
ion channel subunit required for mechanotransduction in *Caenorhabditis elegans*, sequence and transmembrane topology of MEC-4, 1071
transport of vesicular stomatitis virus G protein to cell surface is mediated by, polarized and nonpolarized cells, 543
Skeletal muscle
identification of small cytoplasmic ankyrin in kidney and, binds βIΣ* spectrin and associates with Golgi apparatus, Ank$_{GI19}$, 819
three-dimensional structure of Z band in normal mammalian, 571
Skin, inactivation of integrin β6 subunit gene reveals role of epithelial integrins in regulating inflammation in lungs and, 921
SNAREs, v-SNARE implicated in intra-Golgi transport, 507
snRNP, RAN/TC4 mutants identify common requirement for import of, protein import into nucleus, 485
Sox17 gene, identification of two Sox17 messenger RNA isoforms, with and without high mobility group box region, differential expression in mouse spermatogenesis, 667
Spc110p, role of interaction of calmodulin and, proper assembly of spindle pole body components, 111
Spectrin, identification of small cytoplasmic ankyrin that binds βIΣ* spectrin, kidney and muscle, associates with Golgi apparatus, Ank$_{GI19}$, 819
Sperm receptor, for egg jelly is modular protein with extensive homology to human polycystic kidney disease protein, sea urchin, PKD1, 809
Spermatogenesis, identification of two Sox17 messenger RNA isoforms and their differential expression in, mouse, with and without high mobility group box region, 667
Sphingolipid galactosyltransferases, topology of, ER and Golgi, transbilayer movement of monohexosyl sphingolipids required for higher glycosphingolipid biosynthesis, 15
Spindle, aberrantly segregating centromeres activate spindle assembly checkpoint in budding yeast, 75
Spindle elongation, DSK1 involved in, anaphase, novel kinesin-related protein from diatom *Cylindrotheca fusiformis*, 595
Spindle pole body
role of calmodulin and Spc110p interaction in proper assembly of components of, 111
yeast ubiquitin-like genes involved in duplication of microtubule organizing center, 1331
Splicing factors
dynamic transcription-dependent organization of pre-mRNA, polytene nuclei, 929
intron-dependent recruitment of pre-mRNA, sites of transcription, 719
Spreading, intracellular pH regulation during, human neutrophils, 1391
Src family kinases, deficiency of Src family kinases p59/61^{hck} and p58$^{c\text{-}fgr}$ results in defective adhesion-dependent neutrophil functions, 895
src homology 4 domain, features of p59^{fyn}, define motif for immune-receptor tyrosine-based activation motif binding and for plasma membrane localization, 1007
src homology region 3 domain-binding proteins
associations among PH domain, Rho-type GTPases and, yeast, 879
involved in bud formation, yeast, 865
Stathmin, is phosphoprotein essential for nerve growth factor–stimulated differentiation, 1383
Staurosporine
constitutive expression of machinery for programmed cell death, 1053
role of Ced-3/ICE-family proteases in programmed cell death induced by, 1041
Stress fibers, Rho-stimulated contractility drives formation of focal adhesions and, 1403
Synaptic vesicles, cycle of, single vesicle budding step involving clathrin and dynamin, 1237
Syndecans, stimulation of fibroblast growth factor receptor-1 occupancy and signaling by cell surface–associated glypican and, 405
Synthetic lethality screen, identifies novel yeast myosin I gene, *MYO5*, myosin I proteins required for polarization of actin cytoskeleton, 1277
T cells, fucosyltransferase FucT-VII regulates E-selectin ligand synthesis in human, 911
Targeting signal, sorting sequence of peroxisomal integral membrane protein PMP47 is contained within short hydrophilic loop, 269
TATA-binding protein, in vivo evidence that TATA-binding protein/SL1 colocalizes with UBF and RNA polymerase I when rRNA synthesis is either active or inactive, 225
TCR, features of p59^{fyn} src homology 4 domain define motif for immune-receptor tyrosine-based activation motif binding and for plasma membrane localization, 1007
Temperature-sensitive mutants, role of calmodulin and Spc110p interaction in proper assembly of spindle pole body components, 111
Tight junctions
antiglycolipid antibody interferes with basolateral polarization and formation of, inhibits Madin-Darby canine kidney cell adhesion to laminin, 695
interspecies diversity of occludin sequence, cDNA cloning of human, mouse, dog, and rat–kangaroo homologues, 43
Tissue factor, mechanism for regulating cell surface proteolysis of coagulation pathway dependent on, ligand-induced protease receptor translocation into caveolae, 293
Trafficking, polarity, detergent solubility and, glycosylphosphatidylinositol–anchored protein after LDL-deprivation of MDCK cells, 1265
trans-Golgi network
different biosynthetic transport routes to plasma membrane in BHK and CHO cells, 247
novel adaptor-related protein complex, 749
Transcription
dynamic organization of pre-mRNA splicing factors dependent on, polytene nuclei, 929
metazoan rDNA enhancer acts by making more genes active in, 943
Transcription sites, intron-dependent recruitment of pre-mRNA splicing factors to, 719
Transcytosis, signal transduction by polymeric immunoglobulin receptor suggests role in regulation of receptor, 997
Transforming growth factor-β, endoglin modulates cellular responses to TGF-β1, 1109
Transmembrane ligands, mutations in *Drosophila hook* gene inhibit endocytosis of boss transmembrane ligand into multivesicular bodies, 1205

Transport factors, dynamic localization of nuclear import receptor and its interactions with, 1163
Transport vesicles, transport of vesicular stomatitis virus G protein to cell surface is signal mediated in polarized and nonpolarized cells, 543
Tubulin
active transport of photoactivated molecules of, growing axons, revealed by new electron microscopic analysis, 1347
transport in neurons, 1355
Tumor suppression, by plakoglobin, augmenting effect of N-cadherin, 199
Tyrosine kinase receptors, motogenic and morphogenic activity of epithelial, 1095
Tyrosine phosphorylation, Rho-stimulated contractility drives formation of stress fibers and focal adhesions, 1403
Ubiquitin, yeast ubiquitin-like genes involved in duplication of microtubule organizing center, 1331
Ultraviolet radiation, activates growth factor receptors via reactive oxygen intermediates, 211
Upstream binding factor, in vivo evidence that TATA-binding protein/SL1 colocalizes with RNA polymerase I and, rRNA synthesis is either active or inactive, 225
v-SNARE, implicated in intra-Golgi transport, 507
Vacuolar protein sorting protein 10, cycles between late-Golgi and prevacuolar compartments in its function as sorting receptor for multiple yeast vacuolar hydrolases, 529
Vacuolating cytotoxin A, oligomeric and subunit structure of *Helicobacter pylori* vacuolating cytotoxin, 801
Vesicles
cycle of synaptic, single vesicle budding step involving clathrin and dynamin, 1237
endosomal βCOP involved in pH-dependent formation of transport, destined for late endosomes, 29
Vesicular stomatitis virus G protein, transport to cell surface, signal mediated in polarized and nonpolarized cells, 543
Vesicular transport, association of dynamin-like protein with Golgi apparatus in mammalian cells, 761
Vimentin
disrupted glial fibrillary acidic protein network in astrocytes from vimentin knockout mice, 853
mitosis-specific phosphorylation of, protein kinase C coupled with reorganization of intracellular membranes, 141
Wallerian degeneration, granulocyte macrophage colony stimulating factor produced in lesioned peripheral nerves induces up-regulation of cell surface expression of MAC-2 by macrophages and Schwann cells, 159
Wnt genes, activities of *Wnt*-1 class of secreted signaling factors are antagonized by *Wnt*-5A class and by dominant negative cadherin in early *Xenopus* development, 1123
Xanthosine triphosphate, GTPase distinct from Ran involved in nuclear protein import, 971
Xenopus
activities of *Wnt*-1 class of secreted signaling factors are antagonized by *Wnt*-5A class and by dominant negative cadherin in early development in, 1123
metazoan rDNA enhancer acts by making more genes transcriptionally active, 943
oligomerization and maturation of Na,K-ATPase, interaction of cytoplasmic NH_2 terminus of β subunit with α subunit, 1193
Xenopus laevis
influence of M-phase chromatin on anisotropy of microtubule asters, 125
nuclear proteins of quiescent cells in, inhibit DNA replication in intact and permeabilized nuclei, 955
Yeast
aberrantly segregating centromeres activate spindle assembly checkpoint in budding, 75
associations among PH and SH3 domain–containing proteins and Rho-type GTPases in, 879
nucleoporin Nup188p interacts genetically and physically with core structures of nuclear pore complex in, 1153
src homology region 3 domain-binding proteins in, involved in bud formation, 865
Z band, three-dimensional structure of, normal mammalian skeletal muscle, 571